

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Aberdovey Dr	Burnham Rd	Shenandoah Dr	0.128	Concrete	Concrete-Standard	4
Albert	Harvard Rd	Dead End or Start	0.03	Undefined	Undefined	4
Albert		Coolidge Hwy & Coolidge Rd	0.081	Concrete	Concrete-Standard	3
Albert	Coolidge Hwy & Coolidge Rd	Woodward Ave	0.179	Concrete	Concrete-Standard	2
Albert	Garden	Harvard Rd	0.113	Concrete	Concrete-Standard	9
Albert	Albert Ave & Greenfield Rd	Prairie	0.111	Concrete	Concrete-Standard	3
Albert	Prairie	Garden	0.114	Concrete	Concrete-Standard	4
Alfred Ave	Woodward Ave	Josephine	0.035	Asphalt	Composite	10
Alicia Ct	Alicia Ln	Dead End or Start	0.063	Concrete	Concrete-Standard	4
Alicia Ln	W Houstonia	Alicia Ct	0.069	Concrete	Concrete-Standard	4
Alicia Ln	Alicia Ct	Lloyd	0.056	Concrete	Concrete-Standard	5
Allenhurst	S Washington	S Main	0.119	Asphalt	Composite	4
Amelia	N Main	Bellevue	0.264	Concrete	Concrete-Standard	4
Amelia	Bellevue	Rochester Rd	0.141	Concrete	Concrete-Standard	5
Amelia	Rochester Rd	N Alexander	0.147	Asphalt	Composite	2
Amelia	N Alexander	N Blair	0.197	Asphalt	Composite	2
Amelia	N Blair	Campbell Rd	0.266	Asphalt	Composite	2
Amherst Rd	Greenfield Rd & Amherst	Sheffield Rd	0.06	Concrete	Concrete-Standard	4
Amherst Rd	Sheffield Rd	Fairmont Rd	0.087	Concrete	Concrete-Standard	5
Amherst Rd	Fairmont Rd	Highfield Rd	0.038	Concrete	Concrete-Standard	5
Amherst Rd	Highfield Rd	Parkway Dr	0.099	Concrete	Concrete-Standard	3
Amherst Rd	Parkway Dr	Hillside Dr	0.179	Concrete	Concrete-Standard	5
Aqua Ct	Marywood Dr	N Washington	0.12	Concrete	Concrete-Standard	5
Aqua Ct	N Washington	N Main	0.12	Concrete	Concrete-Standard	5
Arden Pl	Grandview Rd	Sheridan Dr	0.013	Concrete	Concrete-Standard	4
Arden Pl	Sheridan Dr & Grandview Rd		0.043	Concrete	Concrete-Standard	3
Arden Pl	Parkway Dr		0.15	Concrete	Concrete-Standard	3
Arden Pl		Grandview Rd	0.042	Asphalt	Composite	3
Ardmore	E La Salle	E Bloomfield	0.059	Concrete	Concrete-Standard	4
Ardmore	E 12 Mile Rd	Beaver	0.153	Concrete	Concrete-Standard	3
Ardmore	Fairway Dr	Detroit	0.056	Concrete	Concrete-Standard	4
Ardmore	Detroit	Detroit	0.019	Concrete	Concrete-Standard	4
Ardmore	Detroit	Golf	0.035	Concrete	Concrete-Standard	4
Ardmore	Golf	Melody Ct	0.025	Concrete	Concrete-Standard	4
Ardmore	Parkdale	Parkdale	0.04	Concrete	Concrete-Standard	6
Ardmore	Parkdale	Fairway Dr	0.023	Concrete	Concrete-Standard	5
Ardmore	Melody Ct	Girard	0.101	Concrete	Concrete-Standard	4
Ardmore	Girard	De Villen	0.118	Concrete	Concrete-Standard	6

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Arlington Dr	Greenfield Rd	Wrenford Rd	0.132	Concrete	Concrete-Standard	4
Arlington Dr	Wrenford Rd	Grandview Rd	0.126	Concrete	Concrete-Standard	4
Arlington Dr	Grandview Rd	Parkway Dr	0.19	Concrete	Concrete-Standard	4
Auburn Dr	Fairmont Rd	Sheffield Rd	0.093	Concrete	Concrete-Standard	4
Auburn Dr	Sheffield Rd	Sheffield Rd	0.024	Concrete	Concrete-Standard	5
Auburn Dr	Parkway Dr	Highfield Rd	0.168	Concrete	Concrete-Standard	4
Auburn Dr	Auburn & Greenfield Rd	Fairmont Rd	0.13	Concrete	Concrete-Standard	5
Auburn Dr	Sheffield Rd	Parkway Dr	0.041	Concrete	Concrete-Standard	6
Austin	N Washington	N Main	0.12	Asphalt	Asphalt-Standard	4
Austin	Marywood Dr	N Washington	0.121	Asphalt	Composite	4
Austin	Fernwood Rd	Lockwood Rd	0.056	Concrete	Concrete-Standard	5
Austin	Lockwood Rd	Hilldale Dr	0.054	Concrete	Concrete-Standard	4
Austin	Hilldale Dr	Woodcrest Dr	0.055	Concrete	Concrete-Standard	5
Austin	Woodcrest Dr	Maxwell	0.055	Concrete	Concrete-Standard	5
Baker	11 Mile Rd & W 11 Mile Rd	Sherman Dr	0.191	Asphalt	Composite	10
Baldwin	Rosedale	Fairgrove	0.1	Asphalt	Composite	8
Baldwin	Fairgrove	N Alexander	0.278	Asphalt	Composite	9
Baldwin	N Main	Rosedale	0.153	Asphalt	Composite	8
Baldwin	Rosedale	Fairgrove	0.1	Asphalt	Composite	8
Baldwin	Fairgrove	N Alexander	0.278	Asphalt	Composite	9
Bamlet Rd	Woodward Ave	Woodward Business Route	0.032	Concrete	Concrete-Standard	6
Bamlet Rd	Woodward Business Route	Eton Cross Rd	0.096	Concrete	Concrete-Standard	6
Bamlet Rd	Eton Cross Rd	Don Soper Dr & W 13 Mile Rd	0.248	Concrete	Concrete-Standard	6
Barrett	S Kenwood	Helene	0.169	Concrete	Concrete-Standard	4
Barrett	S Campbell Rd	S Kenwood	0.165	Concrete	Concrete-Standard	3
Barrett	Helene	Lenox Ave	0.161	Concrete	Concrete-Standard	4
Barrett	Lenox Ave	S Stephenson Hwy	0.038	Concrete	Concrete-Standard	4
Bassett Rd	Pavement Change	Fairlawn Rd	0.136	Gravel	Gravel	9
Bassett Rd	Woodward Ave	Pavement Change	0.033	Concrete	Concrete-Standard	8
Batavia	E Harrison	E Lincoln	0.12	Asphalt	Composite	8
Batavia	Pavement Change	E Harrison	0.073	Asphalt	Composite	3
Bauman	Rochester Rd	Ferris	0.235	Concrete	Concrete-Standard	4
Bauman	Ferris	N Vermont	0.166	Concrete	Concrete-Standard	4
Bauman	N Vermont	Campbell Rd	0.167	Concrete	Concrete-Standard	4
Baxter	N Minerva	S I 75/11 Mile RAMP & N Stephenson Hwy	0.096	Concrete	Concrete-Standard	3
Beechwood Dr	Lloyd	Magnolia	0.088	Concrete	Concrete-Standard	6
Beechwood Dr	Magnolia	Vinsetta Blvd	0.1	Concrete	Concrete-Standard	5

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Beechwood Dr	Crooks Rd & Cherry	Walnut	0.05	Concrete	Concrete-Standard	5
Beechwood Dr	Walnut	W Houstonia	0.086	Concrete	Concrete-Standard	5
Beechwood Dr	W Houstonia	Lloyd	0.089	Concrete	Concrete-Standard	3
Beechwood Dr	Vinsetta Blvd	Vinsetta Blvd	0.017	Concrete	Concrete-Standard	3
Bellaire	N Campbell Rd	N Edison	0.067	Concrete	Concrete-Standard	6
Bellaire	N Edison	Dorchester Ave	0.056	Concrete	Concrete-Standard	6
Bellaire	Dorchester Ave	Kenwood Ave	0.058	Concrete	Concrete-Standard	6
Bellaire	Kenwood Ave	N Edgeworth	0.055	Concrete	Concrete-Standard	6
Bellaire	N Connecticut	Attribute Change	0.036	Concrete	Concrete-Standard	6
Bellaire	N Alexander	N Altadena	0.063	Concrete	Concrete-Standard	5
Bellaire	N Altadena	Ferris	0.067	Concrete	Concrete-Standard	5
Bellaire	Ferris	N Blair	0.063	Concrete	Concrete-Standard	6
Bellaire	N Blair	N Vermont	0.06	Concrete	Concrete-Standard	6
Bellaire	N Vermont	N Connecticut	0.064	Concrete	Concrete-Standard	6
Bellevue	Amelia		0.031	Concrete	Concrete-Standard	5
Bellevue	Edmund	E Sunnybrook Rd	0.063	Concrete	Concrete-Standard	6
Bembridge Rd	Woodward Ave	Woodward Business Route	0.033	Concrete	Concrete-Standard	9
Bembridge Rd	Woodward Business Route	Eton Cross Rd	0.102	Concrete	Concrete-Standard	6
Bembridge Rd	Eton Cross Rd	Essex Rd	0.118	Concrete	Concrete-Standard	6
Bembridge Rd	Essex Rd	W 13 Mile Rd	0.183	Concrete	Concrete-Standard	6
Bembridge Rd	W 13 Mile Rd	Dead End or Start	0.034	Concrete	Concrete-Standard	6
Benjamin	W 13 Mile Rd	Starr Rd	0.092	Concrete	Concrete-Standard	4
Benjamin	W Webster Rd	Shaw St	0.232	Concrete	Concrete-Standard	7
Benjamin	Shaw St	W 13 Mile Rd	0.274	Concrete	Concrete-Standard	7
Benjamin	Pavement Change	Canadian National Railway	0.035	Asphalt	Composite	10
Benjamin	Canadian National Railway	Pavement Change	0.047	Asphalt	Composite	10
Benjamin	Woodward Ave	Woodward Business Route	0.03	Concrete	Concrete-Standard	4
Benjamin	Woodward Business Route	Lloyd & Hawkins	0.056	Concrete	Concrete-Standard	5
Benjamin	Lloyd & Hawkins	Carman	0.138	Concrete	Concrete-Standard	5
Benjamin	Carman	W Webster Rd	0.104	Concrete	Concrete-Standard	5
Benjamin	Starr Rd	Pavement Change	0.181	Concrete	Concrete-Standard	9
Benjamin	Pavement Change	Normandy Rd	0.143	Concrete	Concrete-Standard	8
Berkshire Rd	Woodward Ave	Cooper	0.203	Concrete	Concrete-Standard	2
Berkshire Rd	Kirkshire & Greenfield Rd	Woodward Ave	0.262	Concrete	Concrete-Standard	6
Betsy Ross	Yorba Linda Blvd	Hillside Dr	0.121	Concrete	Concrete-Standard	3
Beverly Ct	Greenfield Rd	Normandy Rd	0.072	Concrete	Concrete-Standard	5
Beverly Ct	Normandy Rd	Greenfield Rd	0.071	Concrete	Concrete-Standard	5
Bonnie View Dr	Northwood Blvd & Oliver Rd	Glenview	0.084	Asphalt	Composite	9

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Bonnie View Dr	Glenview	Maplewood	0.073	Asphalt	Composite	9
Bonnie View Dr	Maplewood	Ferncliff	0.066	Asphalt	Composite	9
Bonnie View Dr	Ferncliff	Woodland	0.058	Asphalt	Composite	9
Bonnie View Dr	Woodland	W Webster Rd	0.085	Asphalt	Composite	9
Bonnie View Dr	Evergreen Dr & W Houstonia	Sycamore	0.066	Concrete	Concrete-Standard	6
Bonnie View Dr	Sycamore	Lloyd	0.084	Concrete	Concrete-Standard	7
Bonnie View Dr	Lloyd	Northwood Blvd & Oliver Rd	0.072	Concrete	Concrete-Standard	6
Briarwood	Nakota	Samoset	0.129	Asphalt	Composite	8
Briarwood	Samoset	W 14 Mile Rd	0.129	Concrete	Concrete-Standard	4
Briarwood	W 14 Mile Rd	Parmenter Blvd	0.153	Concrete	Concrete-Standard	6
Brinkey Ave	Kalama	Harwood	0.052	Concrete	Concrete-Standard	8
Brinkey Ave	Harwood	E Lincoln	0.051	Concrete	Concrete-Standard	6
Brockton	S Campbell Rd	S Kenwood	0.163	Concrete	Concrete-Standard	5
Brockton	Helene	S Stephenson Hwy	0.207	Concrete	Concrete-Standard	2
Brockton	S Kenwood	Helene	0.171	Concrete	Concrete-Standard	5
Brookwood	E 12 Mile Rd	Beaver	0.151	Concrete	Concrete-Standard	4
Buckingham Rd	Pavement Change	Woodward Ave	0.035	Asphalt	Composite	3
Buckingham Rd	Wrenford Rd	Pavement Change	0.169	Concrete	Concrete-Standard	3
Buckingham Rd	Greenfield Rd & Buckingham	Wrenford Rd	0.138	Concrete	Concrete-Standard	4
Buckingham Rd	Woodward Ave	Cooper	0.125	Concrete	Concrete-Standard	4
Burnham Rd	Woodward Ave	Woodward Business Route	0.03	Concrete	Concrete-Standard	5
Burnham Rd	Woodward Business Route	Aberdovey Dr	0.046	Concrete	Concrete-Standard	5
Burnham Rd	Aberdovey Dr	Eton Cross Rd	0.146	Concrete	Concrete-Standard	4
Butternut	Crooks Rd	Evergreen Dr	0.105	Asphalt	Composite	9
Butternut	Evergreen Dr	Cedar Dr	0.154	Asphalt	Composite	8
Butternut	Sylvan Dr	W La Salle & Columbus	0.06	Concrete	Concrete-Standard	5
Butternut	Marais	Sylvan Dr	0.188	Concrete	Concrete-Standard	4
Butternut	Cedar Dr	Marais	0.162	Concrete	Concrete-Standard	4
California	Road Ends	Delaware	0.053	Asphalt	Composite	3
California	Delaware	Delaware	0.02	Asphalt	Composite	3
California	Delaware	Rhode Island	0.137	Asphalt	Composite	3
Cambridge Rd	Woodward Ave	Forestdale Rd	0.173	Asphalt	Composite	10
Carman	Clawson	Elmhurst	0.065	Concrete	Concrete-Standard	3
Carman	Elmhurst	Linwood	0.068	Concrete	Concrete-Standard	3
Carman	Linwood	Woodland	0.053	Concrete	Concrete-Standard	3
Carman	Woodward Business Route	Hawkins	0.034	Concrete	Concrete-Standard	3
Carman	Shenandoah Dr	Benjamin	0.062	Concrete	Concrete-Standard	3
Carman	Benjamin	Clawson	0.062	Concrete	Concrete-Standard	5

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Carman	Hawkins	Shenandoah Dr	0.032	Concrete	Concrete-Standard	3
Cedar Dr	W Webster Rd	Hickory	0.087	Concrete	Concrete-Standard	4
Cedar Dr	Royal	Butternut	0.094	Concrete	Concrete-Standard	5
Cedar Dr	Hickory	Royal	0.086	Concrete	Concrete-Standard	5
Cedar Hill Dr	Fairlawn Rd	Vinsetta Blvd	0.166	Asphalt	Composite	9
Cedar Hill Dr	Sunset Blvd	Fairlawn Rd	0.172	Asphalt	Composite	3
Cedar Hill Dr	Sunset Blvd	Fairlawn Rd	0.172	Asphalt	Composite	3
Cedar Hill Dr	Vinsetta Blvd	Forestdale Ct & Forestdale Rd	0.136	Concrete	Concrete-Standard	5
Cedar Hill Dr	Hilldale	Dead End or Start	0.089	Concrete	Concrete-Standard	4
Cedar Hill Dr	Vinsetta Blvd	Vinsetta Blvd	0.018	Asphalt	Composite	4
Cedar Hill Dr	Hilldale	Maxwell	0.124	Concrete	Concrete-Standard	4
Chambers	Fairgrove	Curry	0.062	Concrete	Concrete-Standard	5
Chambers	Curry	Potter	0.124	Concrete	Concrete-Standard	5
Charlotte	Custer	N Washington	0.175	Asphalt	Composite	8
Charlotte	N Washington	N Main	0.173	Asphalt	Composite	8
Cherokee	Dead End or Start	Dondero Ave	0.076	Asphalt	Composite	8
Cherokee	Dondero Ave	E Hudson	0.218	Asphalt	Composite	9
Cherokee	E Hudson	E Lincoln	0.166	Asphalt	Composite	9
Cherry	Crooks Rd	Marywood Dr	0.128	Concrete	Concrete-Standard	5
Cherry	W 12 Mile Rd	Crooks Rd & Beechwood Dr	0.109	Asphalt	Asphalt-Standard	2
Chester Rd	Ravena	Woodward Ave	0.065	Concrete	Concrete-Standard	2
Chester Rd	Hillside Dr	Dukeshire Hwy & Kensington Dr	0.069	Concrete	Concrete-Standard	2
Chester Rd	Elmhurst	Linwood	0.066	Concrete	Concrete-Standard	3
Chester Rd	Woodward Ave	Hampton Blvd	0.167	Asphalt	Composite	3
Chester Rd	Hampton Blvd	Mandalay	0.154	Asphalt	Composite	5
Chester Rd	Dukeshire Hwy & Kensington Dr	Ravena	0.065	Asphalt	Composite	2
Chester Rd	Kent Rd	Elmhurst	0.065	Concrete	Concrete-Standard	3
Chester Rd	Linwood	Woodland	0.065	Concrete	Concrete-Standard	3
Chester Rd	Woodland	Durham Rd	0.068	Concrete	Concrete-Standard	3
Chester Rd	Durham Rd	Devon Rd	0.077	Concrete	Concrete-Standard	4
Chester Rd	Devon Rd	Crooks Rd	0.092	Concrete	Concrete-Standard	4
Chester Rd	Mandalay	Coolidge Rd	0.014	Concrete	Concrete-Standard	4
Chester Rd	Mandalay	Coolidge Rd	0.03	Concrete	Concrete-Standard	4
Clawson	W Webster Rd	Glenwood Rd	0.176	Asphalt	Composite	9
Clawson	Northwood Blvd	Elmhurst	0.068	Concrete	Concrete-Standard	4
Clawson	Elmhurst	Lloyd	0.138	Concrete	Concrete-Standard	3
Clawson	Carman	W Webster Rd	0.104	Concrete	Concrete-Standard	3
Clawson	Glenwood Rd	Shaw St	0.057	Concrete	Concrete-Standard	4

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Clawson	Shaw St	Essex	0.136	Concrete	Concrete-Standard	4
Clawson	Essex	W 13 Mile Rd	0.138	Concrete	Concrete-Standard	4
Clawson	Lloyd	Carman	0.145	Concrete	Concrete-Standard	4
Clifton	E 12 Mile Rd	Beaver	0.153	Concrete	Concrete-Standard	4
Cloverdale Dr	Mayfield Dr & Fernwood Rd	Hilldale Dr	0.13	Concrete	Concrete-Standard	5
Cloverdale Dr	Maxwell	Dead End or Start	0.081	Concrete	Concrete-Standard	6
Cody St	E 12 Mile Rd	Marlin	0.054	Concrete	Concrete-Standard	7
Cody St	Marlin	Dewey	0.052	Concrete	Concrete-Standard	7
Colonial Dr	Fairmont Rd	Parkway Dr	0.136	Concrete	Concrete-Standard	4
Columbus	Royal	Butternut & W La Salle	0.072	Concrete	Concrete-Standard	4
Columbus	Butternut & W La Salle	W Bloomfield	0.056	Concrete	Concrete-Standard	4
Columbus	W Bloomfield	Poplar	0.051	Concrete	Concrete-Standard	3
Columbus	Poplar	W 13 Mile Rd	0.097	Concrete	Concrete-Standard	4
Cooper	Grandview Rd	Grandview Rd	0.035	Asphalt	Composite	6
Cooper	Normandy Rd	Massoit Rd	0.08	Asphalt	Composite	8
Cooper	Massoit Rd	Nakota	0.135	Asphalt	Composite	8
Cooper	Nakota	Grandview Rd	0.059	Asphalt	Composite	7
Cooper	Grandview Rd	Grandview Rd	0.035	Asphalt	Composite	6
Cooper	Grandview Rd	Buckingham Rd	0.046	Asphalt	Composite	4
Cooper	Buckingham Rd	Samoset	0.06	Asphalt	Composite	5
Cooper	Samoset	Berkshire Rd	0.06	Asphalt	Composite	4
Cooper	Berkshire Rd	W 14 Mile Rd & S Eton Rd	0.06	Asphalt	Composite	5
Crane	N Washington	Dead End or Start	0.062	Asphalt	Asphalt-Standard	7
Crane	N Washington	N Main	0.12	Asphalt	Asphalt-Standard	7
Crane	Lockwood Rd	Hilldale Dr	0.054	Concrete	Concrete-Standard	6
Crane	Hilldale Dr	Woodcrest Dr	0.055	Concrete	Concrete-Standard	6
Crane	Woodcrest Dr	Maxwell	0.056	Concrete	Concrete-Standard	7
Cresthill	Normandy Rd	Manor	0.125	Asphalt	Composite	8
Cresthill	Massoit Rd	Woodland	0.135	Concrete	Concrete-Standard	6
Cresthill	Manor	Massoit Rd	0.063	Concrete	Concrete-Standard	1
Cummings	Judson	W 13 Mile Rd	0.171	Concrete	Concrete-Standard	4
Curry	E 11 Mile Rd	Chambers	0.077	Asphalt	Composite	5
Curry	Chambers	E University	0.045	Asphalt	Composite	5
Curry	E University	E University	0.019	Asphalt	Composite	5
Curry	E University	Saint Charles Ct	0.027	Asphalt	Composite	6
Curry	Saint Charles Ct	Frederick	0.045	Asphalt	Composite	5
Curry	Frederick	E Farnum	0.073	Asphalt	Composite	6
Custer	Charlotte	W Sunnybrook Rd	0.073	Concrete	Concrete-Standard	5

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Custer	W Sunnybrook Rd	Jeffrey	0.061	Asphalt	Composite	3
Custer	Mount Vernon Blvd	Lexington Blvd	0.112	Concrete	Concrete-Standard	4
Custer	Lexington Blvd	Charlotte	0.09	Concrete	Concrete-Standard	3
Custer	Jeffrey	Normandy Rd	0.061	Concrete	Concrete-Standard	4
Custer	Normandy Rd	City/Twp Line	0.042	Concrete	Concrete-Standard	5
Dallas	S Kenwood	Helene	0.17	Concrete	Concrete-Standard	3
Dallas	Lenox Ave	S Stephenson Hwy	0.054	Asphalt	Composite	8
Dallas	Helene	Lenox Ave	0.162	Concrete	Concrete-Standard	4
Dallas	S Campbell Rd	S Kenwood	0.163	Concrete	Concrete-Standard	4
De Villen	N Alexander	N Altadena	0.076	Concrete	Concrete-Standard	5
De Villen	N Altadena	Ferris	0.059	Concrete	Concrete-Standard	3
De Villen	Rochester Rd	Fern	0.092	Concrete	Concrete-Standard	4
De Villen	Ferris	N Blair	0.062	Concrete	Concrete-Standard	3
De Villen	N Blair	N Vermont	0.059	Concrete	Concrete-Standard	2
De Villen	N Vermont	N Connecticut	0.068	Concrete	Concrete-Standard	4
De Villen	N Connecticut	N Wilson	0.072	Concrete	Concrete-Standard	4
De Villen	N Wilson	Browning & Campbell Rd	0.068	Concrete	Concrete-Standard	2
De Villen	Fern	Ardmore	0.081	Concrete	Concrete-Standard	4
De Villen	Ardmore	N Alexander	0.12	Concrete	Concrete-Standard	5
De Villen	N Main	Rochester Rd	0.256	Concrete	Concrete-Standard	4
Delaware	Rhode Island	California	0.035	Concrete	Concrete-Standard	6
Delaware	California	E Kenilworth	0.062	Concrete	Concrete-Standard	6
Delaware	E Maryland	Rhode Island	0.062	Concrete	Concrete-Standard	6
Delemere Blvd	Normandy	Nakota	0.26	Asphalt	Composite	2
Delemere Blvd	Nakota	W 14 Mile Rd	0.26	Asphalt	Composite	2
Delemere Blvd	W 14 Mile Rd	Parmenter Blvd	0.19	Concrete	Concrete-Standard	3
Delemere Blvd	Parmenter Blvd	Delemere	0.13	Concrete	Concrete-Standard	3
Delemere Ct	Delemere Blvd	Dead End or Start	0.138	Concrete	Concrete-Standard	4
Derby Ave	N Altadena	Ferris	0.067	Concrete	Concrete-Standard	4
Derby Ave	Ferris	N Blair	0.062	Concrete	Concrete-Standard	4
Derby Ave	N Blair	N Vermont	0.063	Concrete	Concrete-Standard	4
Derby Ave	N Alexander	N Altadena	0.063	Concrete	Concrete-Standard	4
Derby Ave	Grove	N Wilson	0.048	Concrete	Concrete-Standard	4
Derby Ave	N Wilson	N Campbell Rd	0.06	Concrete	Concrete-Standard	4
Detroit	Rochester Rd	Highland Ct	0.058	Concrete	Concrete-Standard	3
Detroit	Highland Ct	Ardmore	0.157	Concrete	Concrete-Standard	3
Detroit	Ardmore	Dead End or Start	0.114	Concrete	Concrete-Standard	4
Detroit	N Main	Elizabeth	0.119	Concrete	Concrete-Standard	6

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Detroit	Elizabeth	Rochester Rd	0.084	Concrete	Concrete-Standard	6
Devon Rd	Chester Rd	Normandy Rd	0.225	Concrete	Concrete-Standard	5
Devon Rd	W 13 Mile Rd	Dead End or Start	0.103	Concrete	Concrete-Standard	4
Dewey	Fern	Cody St	0.177	Concrete	Concrete-Standard	4
Dewey	Rochester Rd	Fern	0.237	Concrete	Concrete-Standard	4
Don Soper Dr	Bamlet Rd & W 13 Mile Rd	Dead End or Start	0.031	Concrete	Concrete-Standard	3
Donald	Rochester Rd	Ferris	0.221	Concrete	Concrete-Standard	4
Donald	Ferris	N Vermont	0.165	Concrete	Concrete-Standard	4
Donald	N Vermont	Campbell Rd	0.167	Concrete	Concrete-Standard	4
Dondero Ave	Mohawk	Wyandotte	0.063	Concrete	Concrete-Standard	6
Dondero Ave	Wyandotte	Cherokee	0.063	Concrete	Concrete-Standard	6
Dondero Ave	Etowah	Owana	0.063	Concrete	Concrete-Standard	5
Dondero Ave	Longfellow	Mohawk	0.057	Concrete	Concrete-Standard	5
Dondero Ave	Owana	Hoffman	0.059	Concrete	Concrete-Standard	6
Dondero Ave	Cherokee	Etowah	0.062	Concrete	Concrete-Standard	5
Dorchester Ave	Bellaire	Dead End or Start	0.041	Asphalt	Asphalt-Standard	2
Dukeshire Hwy	Ravena	Normandy Rd	0.042	Asphalt	Composite	2
Dukeshire Hwy	Chester Rd & Kensington Dr	Ravena	0.161	Asphalt	Composite	2
Dukeshire Hwy	Yorba Linda Blvd	Chester Rd & Kensington Dr	0.18	Concrete	Concrete-Standard	5
Dundee	Huntington	W Harrison	0.142	Concrete	Concrete-Standard	7
Dundee	W Harrison	Hereford Dr	0.069	Concrete	Concrete-Standard	7
Durham Rd	Pavement Change	Pavement Change	0.124	Asphalt	Composite	9
Durham Rd	W 13 Mile Rd	Pavement Change	0.048	Concrete	Concrete-Standard	9
Durham Rd	Pavement Change	Chester Rd	0.1	Concrete	Concrete-Standard	7
Durham Rd	Chester Rd	Normandy Rd	0.229	Concrete	Concrete-Standard	6
E 2nd St	S Alexander	S Gainsborough	0.151	Asphalt	Composite	4
E 2nd St	Kayser	S Alexander	0.131	Asphalt	Composite	5
E 2nd St	S Gainsborough	S Blair	0.112	Concrete	Concrete-Standard	6
E 2nd St	S Blair	S Vermont	0.063	Concrete	Concrete-Standard	6
E 3rd St	S Gainsborough	S Blair	0.113	Concrete	Concrete-Standard	4
E 3rd St	S Blair	S Vermont	0.063	Concrete	Concrete-Standard	6
E 3rd St	Knowles	Phillips Pl	0.07	Asphalt	Asphalt-Standard	5
E 3rd St	Phillips Pl	Kayser	0.067	Asphalt	Asphalt-Standard	2
E 3rd St	Kayser	S Alexander	0.135	Asphalt	Asphalt-Standard	5
E 3rd St	S Alexander	S Gainsborough	0.148	Asphalt	Asphalt-Standard	5
E 3rd St	S Connecticut	S Wilson	0.068	Concrete	Concrete-Standard	4
E 3rd St	S Wilson	S Campbell Rd	0.062	Concrete	Concrete-Standard	4
E 3rd St	S Vermont	S Connecticut	0.062	Concrete	Concrete-Standard	5

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
E 5th St	S Gainsborough	S Rembrandt	0.065	Concrete	Concrete-Standard	5
E 5th St	S Rembrandt	S Blair	0.064	Concrete	Concrete-Standard	5
E 5th St	S Blair	S Vermont	0.067	Concrete	Concrete-Standard	5
E 5th St	S Connecticut	S Wilson	0.063	Concrete	Concrete-Standard	5
E 5th St	S Wilson	S Campbell Rd	0.065	Concrete	Concrete-Standard	4
E 5th St	Kayser	Kayser	0.012	Asphalt	Composite	5
E 5th St	Knowles	Kayser	0.126	Asphalt	Asphalt-Standard	5
E 5th St	Kayser	Kayser	0.012	Asphalt	Composite	5
E 5th St	Knowles	Kayser	0.126	Asphalt	Asphalt-Standard	5
E 5th St	Irving	S Alexander	0.061	Concrete	Concrete-Standard	3
E 5th St	S Alexander	S Altadena	0.064	Concrete	Concrete-Standard	4
E 5th St	S Altadena	S Gainsborough	0.063	Concrete	Concrete-Standard	3
E 5th St	S Vermont	S Connecticut	0.064	Concrete	Concrete-Standard	6
E 6th St	S Minerva	Helene	0.057	Concrete	Concrete-Standard	5
E 6th St	Helene	Wellesley	0.062	Concrete	Concrete-Standard	5
E 6th St	Wellesley	S Stephenson Hwy	0.068	Concrete	Concrete-Standard	5
E 6th St	S Alexander	S Altadena	0.063	Asphalt	Composite	4
E 6th St	Knowles	Lawson	0.068	Asphalt	Composite	4
E 6th St	Lawson	Kayser	0.068	Asphalt	Composite	3
E 6th St	Kayser	Irving	0.063	Asphalt	Composite	3
E 6th St	Irving	S Alexander	0.062	Asphalt	Composite	3
E 6th St	S Gainsborough	S Rembrandt	0.065	Asphalt	Composite	4
E 6th St	S Rembrandt	S Blair	0.063	Asphalt	Composite	4
E 6th St	S Blair	S Vermont	0.064	Concrete	Concrete-Standard	4
E 6th St	S Vermont	S Connecticut	0.065	Concrete	Concrete-Standard	5
E 6th St	S Altadena	S Gainsborough	0.065	Concrete	Concrete-Standard	4
E 6th St	Connecticut	Wilson	0.07	Concrete	Concrete-Standard	5
E 6th St	S Wilson	S Campbell Rd	0.06	Concrete	Concrete-Standard	4
E 6th St	S Campbell Rd	S Edison	0.057	Concrete	Concrete-Standard	5
E 6th St	S Edison	S Dorchester	0.055	Concrete	Concrete-Standard	5
E 6th St	S Dorchester	S Kenwood	0.053	Concrete	Concrete-Standard	5
E 6th St	S Kenwood	S Edgeworth	0.055	Concrete	Concrete-Standard	5
E 6th St	S Edgeworth	S Minerva	0.058	Concrete	Concrete-Standard	5
E 7th St	Troy	Knowles	0.12	Asphalt	Composite	6
E 7th St	Williams	S Troy	0.06	Concrete	Concrete-Standard	2
E Bloomfield	N Connecticut	N Wilson	0.071	Concrete	Concrete-Standard	3
E Bloomfield	N Wilson	Campbell Rd	0.068	Concrete	Concrete-Standard	5
E Bloomfield	Ferris	N Blair	0.059	Concrete	Concrete-Standard	5

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
E Bloomfield	N Blair	N Vermont	0.061	Concrete	Concrete-Standard	4
E Bloomfield	N Vermont	N Connecticut	0.069	Concrete	Concrete-Standard	3
E Bloomfield	Rochester Rd	N Alexander	0.147	Concrete	Concrete-Standard	3
E Bloomfield	N Alexander	N Altadena	0.07	Concrete	Concrete-Standard	5
E Bloomfield	N Altadena	Ferris	0.06	Concrete	Concrete-Standard	5
E Bloomfield	N Main	Glendale	0.176	Concrete	Concrete-Standard	5
E Bloomfield	Glendale	Rochester Rd	0.106	Concrete	Concrete-Standard	5
E Farnum	N Rembrandt	N Blair	0.058	Concrete	Concrete-Standard	4
E Farnum	N Blair	N Vermont	0.063	Concrete	Concrete-Standard	4
E Farnum	N Vermont	N Connecticut	0.065	Concrete	Concrete-Standard	4
E Farnum	N Connecticut	N Wilson	0.068	Concrete	Concrete-Standard	4
E Farnum	N Wilson	N Campbell Rd	0.063	Concrete	Concrete-Standard	4
E Farnum	N Alexander	N Altadena	0.056	Concrete	Concrete-Standard	4
E Farnum	N Altadena	N Gainsborough	0.058	Concrete	Concrete-Standard	4
E Farnum	N Gainsborough	N Rembrandt	0.057	Concrete	Concrete-Standard	5
E Farnum	N Troy	Rosedale	0.034	Asphalt	Composite	9
E Farnum	Rosedale	Fairgrove	0.1	Asphalt	Composite	8
E Farnum	N Dorchester	N Kenwood	0.032	Concrete	Concrete-Standard	4
E Farnum	N Kenwood	N Edgeworth	0.057	Concrete	Concrete-Standard	4
E Farnum	N Edgeworth	N Minerva	0.055	Concrete	Concrete-Standard	4
E Farnum	N Minerva	Symes	0.026	Concrete	Concrete-Standard	3
E Farnum	Symes	N Stephenson Hwy	0.063	Concrete	Concrete-Standard	4
E Farnum	Fairgrove	Curry	0.06	Concrete	Concrete-Standard	6
E Farnum	Curry	Simon Ct	0.064	Concrete	Concrete-Standard	6
E Farnum	Simon Ct	Potter	0.062	Concrete	Concrete-Standard	6
E Farnum	Potter	N Alexander	0.092	Concrete	Concrete-Standard	7
E Farnum	N Main	N Troy	0.11	Asphalt	Asphalt-Standard	3
E Harrison	Pavement Change	Batavia	0.022	Asphalt	Asphalt-Standard	2
E Harrison	S Main	Morse	0.321	Asphalt	Composite	3
E Harrison	Morse	Pavement Change	0.05	Concrete	Concrete-Standard	5
E Harrison	Batavia	Irving	0.052	Concrete	Concrete-Standard	5
E Harrison	Longfellow	Mohawk	0.056	Concrete	Concrete-Standard	4
E Harrison	Irving	Longfellow	0.061	Concrete	Concrete-Standard	4
E Houstonia	N Vermont	N Connecticut	0.071	Concrete	Concrete-Standard	4
E Houstonia	N Connecticut	N Wilson	0.068	Concrete	Concrete-Standard	4
E Houstonia	N Wilson	Campbell Rd	0.069	Concrete	Concrete-Standard	3
E Houstonia	N Main	Rochester Rd	0.143	Concrete	Concrete-Standard	4
E Houstonia	N Vermont	Dead End or Start	0.031	Concrete	Concrete-Standard	6

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
E Hudson	S Kenwood	Helene	0.17	Concrete	Concrete-Standard	4
E Hudson	S Campbell Rd	S Kenwood	0.164	Concrete	Concrete-Standard	4
E Hudson	Etowah	Owana	0.065	Concrete	Concrete-Standard	3
E Hudson	Owana	Hoffman	0.059	Concrete	Concrete-Standard	4
E Hudson	Hoffman	McLean Ave	0.052	Concrete	Concrete-Standard	5
E Hudson	McLean Ave	S Wilson	0.056	Concrete	Concrete-Standard	5
E Hudson	S Wilson	S Campbell Rd	0.059	Concrete	Concrete-Standard	5
E Hudson	S Main & W Hudson	Canadian National Railway	0.138	Asphalt	Composite	8
E Hudson	Canadian National Railway	Knowles	0.113	Asphalt	Composite	9
E Hudson	Pavemenet Change	Batavia	0.102	Asphalt	Asphalt-Standard	9
E Hudson	S Stephenson Hwy	Attribute Change	0.068	Concrete	Concrete-Standard	1
E Hudson	Mohawk	Wyandotte	0.064	Concrete	Concrete-Standard	5
E Hudson	Wyandotte	Cherokee	0.066	Concrete	Concrete-Standard	4
E Hudson	Cherokee	Etowah	0.064	Concrete	Concrete-Standard	4
E Hudson	Batavia	Irving	0.05	Concrete	Concrete-Standard	5
E Hudson	Irving	Longfellow	0.059	Concrete	Concrete-Standard	5
E Kenilworth	Delaware	Dead End or Start	0.15	Asphalt	Composite	3
E Kenilworth	W Kenilworth & S Main	Delaware	0.1	Asphalt	Composite	1
E La Salle	Rochester Rd	Ardmore	0.158	Concrete	Concrete-Standard	4
E La Salle	Ardmore	N Alexander	0.119	Asphalt	Composite	9
E La Salle	N Main	Rochester Rd	0.268	Concrete	Concrete-Standard	4
E Lawrence	Glendale	Rochester Rd	0.121	Concrete	Concrete-Standard	4
E Lawrence	N Main & W Lawrence	Glendale	0.175	Concrete	Concrete-Standard	4
E Lawrence	Rochester Rd	Dead End or Start	0.035	Concrete	Concrete-Standard	4
E Maryland	Delaware	Dead End or Start	0.104	Asphalt	Composite	4
E Maryland	Main	Delaware & E Maryland	0.12	Asphalt	Composite	4
E Parent	Morse	Batavia	0.05	Concrete	Concrete-Standard	4
E Parent	W Parent & S Main	Delaware	0.113	Concrete	Concrete-Standard	5
E Parent	Batavia	Irving	0.054	Concrete	Concrete-Standard	5
E Parent	Delaware	Dead End or Start	0.105	Concrete	Concrete-Standard	6
E Sunnybrook Rd	N Alexander	N Blair	0.244	Concrete	Concrete-Standard	6
E Sunnybrook Rd	N Main & W Sunnybrook Rd	Bellevue	0.269	Concrete	Concrete-Standard	3
E Sunnybrook Rd	Bellevue	Rochester Rd	0.123	Concrete	Concrete-Standard	4
E Sunnybrook Rd	Rochester Rd	N Alexander	0.112	Concrete	Concrete-Standard	6
E University	N Edgeworth	N Kenwood	0.054	Concrete	Concrete-Standard	4
E University	N Kenwood	Dead End or Start	0.026	Undefined	Undefined	
E University	N Minerva	N Edgeworth	0.056	Concrete	Concrete-Standard	4
E University	N Stephenson Hwy	N Minerva	0.093	Concrete	Concrete-Standard	4

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
E University	N Main	Dead End or Start	0.082	Asphalt	Composite	4
E University	Virginia	Fairgrove	0.059	Asphalt	Composite	4
E University	N Alexander	N Altadena	0.057	Concrete	Concrete-Standard	4
E University	N Altadena	N Gainsborough	0.057	Concrete	Concrete-Standard	4
E University	N Gainsborough	N Rembrandt	0.056	Concrete	Concrete-Standard	4
E University	N Rembrandt	N Blair	0.058	Concrete	Concrete-Standard	4
E University	N Blair	N Vermont	0.065	Concrete	Concrete-Standard	4
E University	N Campbell Rd	N Edison	0.06	Concrete	Concrete-Standard	6
E University	Virginia	Fairgrove	0.059	Asphalt	Composite	4
E University	N Edison	Dead End or Start	0.038	Concrete	Concrete-Standard	8
E University	N Vermont	N Connecticut	0.063	Concrete	Concrete-Standard	4
E University	N Connecticut	N Wilson	0.067	Concrete	Concrete-Standard	4
E University	N Wilson	N Campbell Rd	0.065	Concrete	Concrete-Standard	4
E University	Curry	Potter	0.125	Concrete	Concrete-Standard	6
E University	N Troy	Virginia	0.07	Asphalt	Composite	2
E University	Fairgrove	Curry	0.064	Asphalt	Asphalt-Standard	2
E Webster Rd	N Main	Elizabeth	0.139	Concrete	Concrete-Standard	5
E Webster Rd	Elizabeth	Rochester Rd	0.08	Concrete	Concrete-Standard	5
E Windemere	N Alexander	N Blair	0.246	Concrete	Concrete-Standard	4
E Windemere	N Blair	Campbell Rd & Windemere	0.265	Concrete	Concrete-Standard	4
E Windemere	Rochester Rd	N Alexander	0.177	Concrete	Concrete-Standard	4
E Windemere	N Main	Glendale	0.175	Concrete	Concrete-Standard	4
E Windemere	Glendale	Rochester Rd	0.147	Concrete	Concrete-Standard	4
Edgar	Starr Rd	Normandy Rd	0.282	Asphalt	Composite	3
Edgar	W 13 Mile Rd	Pavement Change	0.179	Asphalt	Composite	2
Edgar	Pavement Change	Starr Rd	0.034	Asphalt	Asphalt-Standard	1
Edgeland	Greenway	Normandy Rd	0.235	Concrete	Concrete-Standard	6
Edgeland	Normandy Rd	Normandy Ct	0.205	Concrete	Concrete-Standard	7
Edgewood Dr	W Derby Ave	Woodsboro Dr	0.123	Asphalt	Composite	8
Edgewood Dr	Catalpa Dr	W Derby Ave	0.126	Asphalt	Composite	8
Edgewood Dr	Woodsboro Dr	Crooks Rd	0.19	Asphalt	Composite	9
Edgewood Dr	W Derby Ave	Woodsboro Dr	0.123	Asphalt	Composite	8
Edmund	N Main	Glendale	0.176	Concrete	Concrete-Standard	3
Edmund	Glendale	Bellevue	0.094	Concrete	Concrete-Standard	4
Edmund	Bellevue	Montrose & Rochester Rd	0.108	Concrete	Concrete-Standard	4
Elizabeth	Detroit	E Webster Rd	0.092	Concrete	Concrete-Standard	6
Ellen		Columbus	0.193	Concrete	Concrete-Standard	6
Ellen	Columbus	N Main	0.287	Concrete	Concrete-Standard	6

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Ellen	Hickory & Orchard View Dr		0.038	Concrete	Concrete-Standard	6
Ellwood	Judson	W 13 Mile Rd	0.172	Concrete	Concrete-Standard	3
Elmhurst	Clawson	Lloyd	0.119	Concrete	Concrete-Standard	5
Elmhurst	Lloyd	Carman	0.145	Concrete	Concrete-Standard	3
Elmhurst	Samoset	W 14 Mile Rd	0.13	Concrete	Concrete-Standard	6
Elmhurst	W 14 Mile Rd	Parmenter Blvd	0.125	Concrete	Concrete-Standard	4
Elmhurst	Parmenter Blvd	Torquay	0.231	Concrete	Concrete-Standard	5
Elmhurst	Starr Rd	Pavement change	0.031	Asphalt	Composite	5
Elmhurst	Torquay	Dead End or Start	0.143	Asphalt	Composite	4
Elmhurst	Carman	W Webster Rd	0.103	Concrete	Concrete-Standard	3
Elmhurst	Glenwood Rd	Essex	0.193	Concrete	Concrete-Standard	3
Elmhurst	Essex	Linwood	0.077	Concrete	Concrete-Standard	4
Elmhurst	Linwood	W 13 Mile Rd	0.06	Concrete	Concrete-Standard	3
Elmhurst	Nakota	Samoset	0.127	Concrete	Concrete-Standard	4
Elmhurst	Pavement change	Chester Rd	0.195	Concrete	Concrete-Standard	5
Elmhurst	Chester Rd	Normandy Rd	0.229	Concrete	Concrete-Standard	5
Elmwood	Nakota	Samoset	0.151	Asphalt	Composite	8
Elmwood	Massoit Rd	Nakota	0.131	Asphalt	Composite	8
Elmwood	Samoset	W 14 Mile Rd & Mansfield	0.135	Asphalt	Composite	9
Elmwood	Normandy Rd	Massoit Rd	0.122	Asphalt	Composite	3
Englewood	N Main	Glendale	0.175	Concrete	Concrete-Standard	3
Englewood	Glendale	Rochester Rd	0.19	Concrete	Concrete-Standard	4
Englewood	Rochester Rd	N Alexander	0.134	Concrete	Concrete-Standard	4
Englewood	N Alexander	N Blair	0.246	Concrete	Concrete-Standard	4
Englewood	N Blair	Campbell Rd	0.266	Concrete	Concrete-Standard	3
Essex	Clawson	Elmhurst	0.062	Concrete	Concrete-Standard	3
Essex	Elmhurst	Linwood	0.06	Concrete	Concrete-Standard	3
Essex	Ferncliff	Maplewood	0.058	Concrete	Concrete-Standard	3
Essex	Maplewood	Glenview	0.073	Concrete	Concrete-Standard	4
Essex	Glenview	Crooks Rd	0.07	Concrete	Concrete-Standard	5
Essex	Ferncliff	Dead End or Start	0.028	Concrete	Concrete-Standard	7
Essex Rd	Bembridge Rd	Shenandoah Dr	0.109	Concrete	Concrete-Standard	3
Eton Cross	W 13 Mile Rd	Dead End or Start	0.029	Concrete	Concrete-Standard	3
Eton Cross Rd	Shenandoah Dr	Burnham Rd	0.059	Concrete	Concrete-Standard	5
Eton Cross Rd	Burnham Rd	Glenwood Rd	0.008	Concrete	Concrete-Standard	4
Eton Cross Rd	Glenwood Rd	Trafford Rd	0.071	Concrete	Concrete-Standard	6
Eton Cross Rd	Trafford Rd	Bembridge Rd	0.062	Concrete	Concrete-Standard	5
Eton Cross Rd	Bembridge Rd	Bamlet Rd	0.059	Concrete	Concrete-Standard	4

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Eton Cross Rd	Bamlet Rd	Woodslee Dr	0.061	Concrete	Concrete-Standard	4
Etowah	Dead End or Start	Dondero Ave	0.076	Asphalt	Composite	4
Etowah	Dondero Ave	E Hudson	0.215	Asphalt	Composite	5
Etowah	E Hudson	E Lincoln	0.164	Asphalt	Composite	4
Etowah	Dead End or Start	Dondero Ave	0.076	Asphalt	Composite	4
Etowah	Dondero Ave	E Hudson	0.215	Asphalt	Composite	5
Euclid	N Washington	N Main	0.118	Asphalt	Asphalt-Standard	8
Evergreen Dr	Lloyd	Smith	0.048	Concrete	Concrete-Standard	5
Evergreen Dr	Poplar	W 13 Mile Rd	0.137	Concrete	Concrete-Standard	6
Evergreen Dr	W 12 Mile Rd	Roseland	0.063	Concrete	Concrete-Standard	3
Evergreen Dr	Roseland	W Houstonia & Bonnie View Dr	0.063	Concrete	Concrete-Standard	3
Evergreen Dr	Northwood Blvd	W Webster Rd	0.124	Asphalt	Composite	2
Evergreen Dr	Smith	Northwood Blvd	0.08	Concrete	Concrete-Standard	6
Evergreen Dr	Butternut	Poplar	0.053	Concrete	Concrete-Standard	5
Evergreen Dr	W 13 Mile Rd	W Windemere	0.056	Concrete	Concrete-Standard	4
Fairgrove	Pingree Blvd	E Farnum	0.071	Asphalt	Composite	2
Fairgrove	Chambers	E University	0.063	Concrete	Concrete-Standard	5
Fairgrove	Baldwin	Forest	0.07	Concrete	Concrete-Standard	6
Fairgrove	E University	Pingree Blvd	0.077	Asphalt	Composite	3
Fairlawn Rd	Vinsetta Blvd	Bassett Rd	0.039	Concrete	Concrete-Standard	5
Fairlawn Rd	Bassett Rd	Vinton Rd	0.071	Concrete	Concrete-Standard	5
Fairlawn Rd	Greenleaf Dr	Woodsboro Dr	0.068	Concrete	Concrete-Standard	5
Fairlawn Rd	Woodsboro Dr	Cedar Hill Dr	0.065	Concrete	Concrete-Standard	6
Fairlawn Rd	Vinton Rd	Greenleaf Dr	0.053	Concrete	Concrete-Standard	5
Fairlawn Rd	Cedar Hill Dr	W 12 Mile Rd	0.057	Concrete	Concrete-Standard	5
Fairmont Rd	W 13 Mile Rd	Yorba Linda Blvd	0.111	Concrete	Concrete-Standard	5
Fairmont Rd	Colonial Dr	Amherst Rd	0.046	Concrete	Concrete-Standard	3
Fairmont Rd	Auburn Dr	S Verona Cir	0.069	Concrete	Concrete-Standard	5
Fairview	Crooks Rd	Dead End or Start	0.062	Concrete	Concrete-Standard	9
Fairway Dr	Ardmore	Dead End or Start	0.097	Concrete	Concrete-Standard	4
Fern	Girard	Linden	0.056	Concrete	Concrete-Standard	4
Fern	Linden	De Villen	0.057	Concrete	Concrete-Standard	4
Fern	E 12 Mile Rd	Beaver	0.153	Concrete	Concrete-Standard	5
Fern	Dewey	Marlin	0.052	Concrete	Concrete-Standard	4
Fern	Marlin	E 12 Mile Rd	0.052	Concrete	Concrete-Standard	5
Ferncliff	Northwood Blvd	Lloyd	0.081	Asphalt	Composite	9
Ferncliff	Bonnie View Dr	W Webster Rd	0.105	Asphalt	Composite	9
Ferncliff	Essex	W 13 Mile Rd	0.139	Concrete	Concrete-Standard	3

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Ferncliff	Lloyd	Bonnie View Dr	0.145	Asphalt	Composite	3
Ferncliff	W Webster Rd	Glenwood Rd & Maplewood	0.174	Concrete	Concrete-Standard	4
Fernlee	Samoset	W 14 Mile Rd	0.13	Concrete	Concrete-Standard	9
Fernlee	Nakota	Samoset	0.128	Concrete	Concrete-Standard	6
Fernlee	W 14 Mile Rd	Parmenter Blvd	0.217	Concrete	Concrete-Standard	5
Fernwood Rd	Lawndale Dr	Cloverdale Dr & Mayfield Dr	0.069	Concrete	Concrete-Standard	6
Fernwood Rd	Catalpa Dr	Lawndale Dr	0.074	Concrete	Concrete-Standard	6
Fernwood Rd	W Farnum	Austin	0.075	Asphalt	Composite	10
Fernwood Rd	Austin	Crane	0.072	Asphalt	Composite	10
Fernwood Rd	Crane	Catalpa Dr	0.109	Asphalt	Composite	10
Ferris	De Villen	E Bloomfield	0.171	Concrete	Concrete-Standard	3
Ferris	E Bloomfield	E 13 Mile Rd	0.126	Concrete	Concrete-Standard	4
Ferris	Derby Ave	Bellaire	0.149	Asphalt	Composite	6
Ferris	Bellaire	E 12 Mile Rd	0.159	Asphalt	Composite	6
Ferris	Gardenia	Derby Ave	0.15	Asphalt	Composite	5
Ferris	Genesee	E 14 Mile Rd	0.106	Concrete	Concrete-Standard	2
Ferris	Derby Ave	Bellaire	0.149	Asphalt	Composite	6
Ferris	Bellaire	E 12 Mile Rd	0.159	Asphalt	Composite	6
Ferris	Gardenia	Derby Ave	0.15	Asphalt	Composite	5
Ferris	Whitcomb	Bauman	0.059	Concrete	Concrete-Standard	5
Ferris	Bauman	Donald	0.064	Concrete	Concrete-Standard	5
Florence	Park	Dead End or Start	0.154	Asphalt	Composite	4
Florence	Maxwell	N Maple	0.059	Asphalt	Asphalt-Standard	4
Florence	N Maple	Park	0.042	Asphalt	Asphalt-Standard	4
Forest	N Edison	N Dorchester	0.057	Concrete	Concrete-Standard	4
Forest	N Dorchester	N Kenwood	0.058	Concrete	Concrete-Standard	4
Forest	N Kenwood	N Edgeworth	0.056	Concrete	Concrete-Standard	4
Forest	N Campbell Rd	N Edison	0.068	Concrete	Concrete-Standard	4
Forest	N Edgeworth	Symes	0.056	Concrete	Concrete-Standard	4
Forest	N Alexander	N Altadena	0.056	Concrete	Concrete-Standard	4
Forest	N Blair	N Vermont	0.061	Concrete	Concrete-Standard	4
Forest	N Vermont	N Connecticut	0.064	Concrete	Concrete-Standard	4
Forest	N Connecticut	N Wilson	0.068	Concrete	Concrete-Standard	4
Forest	N Wilson	N Campbell Rd	0.064	Concrete	Concrete-Standard	3
Forest	N Main	Rosedale	0.15	Asphalt	Composite	2
Forest	Symes	N Stephenson Hwy	0.061	Concrete	Concrete-Standard	3
Forest	N Altadena	N Gainsborough	0.058	Concrete	Concrete-Standard	4
Forest	N Gainsborough	N Rembrandt	0.057	Concrete	Concrete-Standard	5

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Forest	N Rembrandt	N Blair	0.059	Concrete	Concrete-Standard	4
Forest	Rosedale	Fairgrove	0.101	Asphalt	Composite	4
Forest	Fairgrove	Oakmont St	0.12	Asphalt	Composite	4
Forest	Oakmont St	N Alexander	0.159	Asphalt	Composite	3
Forestdale Ct	Cedar Hill Dr & Forestdale Rd		0.081	Concrete	Concrete-Standard	7
Forestdale Ct		Dead End or Start	0.019	Concrete	Concrete-Standard	8
Forestdale Rd	W Farnum	Crane	0.14	Asphalt	Composite	8
Forestdale Rd	Crane	Catalpa Dr	0.105	Asphalt	Composite	8
Forestdale Rd	Catalpa Dr	Mayfield Dr	0.144	Asphalt	Asphalt-Standard	9
Forestdale Rd	Woodward Ave	Cambridge Rd	0.055	Concrete	Concrete-Standard	6
Forestdale Rd	Cambridge Rd	Sherman Dr	0.034	Concrete	Concrete-Standard	5
Forestdale Rd	Woodsboro Dr	Cedar Hill Dr & Forestdale Ct	0.072	Concrete	Concrete-Standard	5
Forestdale Rd	Sherman Dr	W Farnum	0.032	Concrete	Concrete-Standard	5
Forestdale Rd	Mayfield Dr	Greenleaf Dr	0.081	Concrete	Concrete-Standard	3
Forestdale Rd	Greenleaf Dr	Woodsboro Dr	0.067	Concrete	Concrete-Standard	4
Frederick	Curry	Potter	0.126	Concrete	Concrete-Standard	5
Galpin	W Webster Rd	Crooks Rd	0.24	Concrete	Concrete-Standard	4
Galpin	Northwood Blvd	W Webster Rd	0.163	Concrete	Concrete-Standard	4
Garden	Webster Rd	Albert	0.166	Concrete	Concrete-Standard	4
Garden	Pavement Change	Judson	0.143	Concrete	Concrete-Standard	4
Garden	Judson	W 13 Mile Rd	0.172	Concrete	Concrete-Standard	4
Garden	Albert	Pavement Change	0.024	Concrete	Concrete-Standard	5
Genesee	Rochester Rd	Ferris	0.178	Concrete	Concrete-Standard	5
Genesee	Ferris	N Vermont	0.166	Concrete	Concrete-Standard	4
Genesee	N Vermont	Campbell Rd	0.166	Concrete	Concrete-Standard	4
Girard	Vermont	Lauren Ct	0.31	Concrete	Concrete-Standard	3
Girard	Campbell	Wilson	0.06	Concrete	Concrete-Standard	2
Girard	Wilson	Connecticut	0.07	Concrete	Concrete-Standard	4
Girard	Connecticut	Vermont	0.07	Concrete	Concrete-Standard	2
Girard	Lauren Ct.	Ardmore	0.08	Concrete	Concrete-Standard	3
Girard	Rochester Rd	Main	0.23	Concrete	Concrete-Standard	5
Glendale	Englewood		0.036	Undefined	Undefined	
Glendale	E 13 Mile Rd	E Windemere	0.061	Concrete	Concrete-Standard	5
Glendale	E Windemere	Midland Blvd	0.064	Concrete	Concrete-Standard	5
Glendale	Midland Blvd	Woodlawn	0.066	Concrete	Concrete-Standard	4
Glendale	Woodlawn	Englewood	0.062	Concrete	Concrete-Standard	4
Glendale	E Bloomfield	E Lawrence	0.062	Concrete	Concrete-Standard	5
Glendale	E Lawrence	E 13 Mile Rd	0.062	Concrete	Concrete-Standard	6

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Glenview	Oliver Rd	Glenwood Rd	0.139	Concrete	Concrete-Standard	3
Glenview	Northwood Blvd	Bonnie View Dr	0.092	Asphalt	Composite	3
Glenview	Bonnie View Dr	W Webster Rd	0.153	Asphalt	Composite	3
Glenview	Glenwood Rd	Essex	0.191	Concrete	Concrete-Standard	5
Glenview	Essex	Dead End or Start	0.086	Concrete	Concrete-Standard	4
Glenwood Rd	Clawson	Elmhurst	0.062	Concrete	Concrete-Standard	2
Glenwood Rd	Elmhurst	Linwood	0.061	Concrete	Concrete-Standard	3
Glenwood Rd	Linwood	Woodland	0.056	Concrete	Concrete-Standard	6
Glenwood Rd	Woodland	Maplewood & Ferncliff	0.057	Concrete	Concrete-Standard	3
Glenwood Rd	Woodward Ave	Woodward Business Route	0.031	Concrete	Concrete-Standard	3
Glenwood Rd	Woodward Business Route	Eton Cross Rd	0.163	Concrete	Concrete-Standard	4
Glenwood Rd	Eton Cross Rd	Shenandoah Dr	0.094	Concrete	Concrete-Standard	4
Glenwood Rd	Maplewood	Glenview	0.051	Concrete	Concrete-Standard	5
Golf	Ardmore	Dead End or Start	0.109	Concrete	Concrete-Standard	4
Grandview Rd		Cooper	0.032	Asphalt	Composite	8
Grandview Rd		Cooper	0.023	Asphalt	Composite	8
Grandview Rd	Arlington Dr	Arden Pl & Sheridan Dr	0.071	Concrete	Concrete-Standard	4
Grandview Rd	Sheridan Dr	Woodward Ave	0.047	Concrete	Concrete-Standard	4
Grandview Rd	Woodward Ave		0.061	Asphalt	Composite	1
Grandview Rd	Arden Pl & Sheridan Dr	Arden Pl	0.021	Asphalt	Composite	3
Grandview Rd	Arden Pl	Sheridan Dr	0.016	Asphalt	Composite	3
Grandview Rd	Seminole Dr	Arlington Dr	0.063	Concrete	Concrete-Standard	5
Grandview Rd	N Fulton Pl	Seminole Dr	0.064	Concrete	Concrete-Standard	5
Greenleaf Dr	Vinsetta Blvd	Forestdale Rd	0.163	Asphalt	Composite	8
Greenleaf Dr	Hilldale Dr	Canadian National Railway	0.017	Asphalt	Composite	8
Greenleaf Dr	Canadian National Railway	Hilldale	0.02	Asphalt	Composite	8
Greenleaf Dr	Sunset Blvd & Woodward Ave	Fairlawn Rd	0.202	Asphalt	Composite	8
Greenleaf Dr	Fairlawn Rd	Vinsetta Blvd	0.136	Asphalt	Composite	9
Greenleaf Dr	Vinsetta Blvd	Vinsetta Blvd	0.084	Asphalt	Asphalt-Standard	4
Greenleaf Dr	Forestdale Rd	Hilldale Dr	0.095	Concrete	Concrete-Standard	4
Greenleaf Dr	Hilldale	Maxwell	0.123	Concrete	Concrete-Standard	4
Greenway	Pavement Change	Normandy Rd	0.142	Asphalt	Composite	2
Greenway	Starr Rd	Edgeland	0.136	Concrete	Concrete-Standard	4
Greenway	Edgeland	Pavement Change	0.077	Concrete	Concrete-Standard	3
Grove	Gardenia	Derby Ave	0.155	Concrete	Concrete-Standard	4
Grove	Derby Ave	Bellaire	0.071	Concrete	Concrete-Standard	4
Groveland	Nakota	Samoset	0.128	Asphalt	Composite	8
Groveland	Samoset	W 14 Mile Rd	0.126	Asphalt	Composite	9

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Groveland	Robinwood	Nakota	0.051	Concrete	Concrete-Standard	6
Guilford Dr	Woodward Ave	Woodslee Dr	0.219	Concrete	Concrete-Standard	4
Guthrie	S Campbell Rd	S Kenwood	0.159	Concrete	Concrete-Standard	4
Guthrie	S Kenwood	Attribute Change	0.057	Concrete	Concrete-Standard	5
Guthrie	Attribute Change	Helene	0.05	Concrete	Concrete-Standard	5
Guthrie	Helene	E 10 Mile Rd	0.112	Concrete	Concrete-Standard	5
Gwen Ct	W 13 Mile Rd	Dead End or Start	0.059	Concrete	Concrete-Standard	6
Hampton Blvd	Normandy Rd	Massoit Rd	0.126	Concrete	Concrete-Standard	3
Hampton Blvd	Massoit Rd	Pavement Change	0.089	Concrete	Concrete-Standard	4
Hampton Blvd	Pavement Change	W 14 Mile Rd	0.102	Concrete	Concrete-Standard	3
Hampton Blvd	Samoset	Pavement Change	0.027	Asphalt	Composite	2
Hampton Blvd	Pavement Change	Nakota	0.038	Asphalt	Composite	3
Hampton Blvd	Nakota	Samoset	0.127	Asphalt	Composite	1
Hampton Blvd	Starr Rd	Ravena	0.08	Concrete	Concrete-Standard	5
Hampton Blvd	Ravena	Chester Rd	0.068	Concrete	Concrete-Standard	5
Hampton Blvd	Chester Rd	Hunter	0.068	Concrete	Concrete-Standard	5
Hampton Blvd	Hunter	Normandy Rd	0.066	Concrete	Concrete-Standard	3
Hartrick	Woodward Ave	Pavement Change	0.058	Asphalt	Asphalt-Standard	3
Hartrick	Pavement Change	Josephine	0.039	Concrete	Concrete-Standard	4
Harvard Rd	Webster Rd	Albert	0.168	Concrete	Concrete-Standard	4
Harvard Rd	Albert	Judson	0.166	Concrete	Concrete-Standard	4
Harvard Rd	Judson	W 13 Mile Rd	0.173	Concrete	Concrete-Standard	4
Harwood	S Campbell Rd	S Kenwood	0.166	Concrete	Concrete-Standard	4
Harwood	S Kenwood	Helene	0.169	Concrete	Concrete-Standard	5
Harwood	Helene	Brinkey Ave	0.037	Concrete	Concrete-Standard	5
Harwood	Brinkey Ave	Dead End or Start	0.051	Concrete	Concrete-Standard	5
Hawkins	Lloyd & Benjamin	Carman	0.167	Concrete	Concrete-Standard	3
Hawkins	Carman	W Webster Rd	0.115	Concrete	Concrete-Standard	4
Hawthorne	N Main	Rosedale	0.152	Asphalt	Composite	2
Hawthorne	Rosedale	Fairgrove	0.099	Asphalt	Composite	2
Hawthorne	Fairgrove	Oakmont St	0.12	Asphalt	Composite	2
Hawthorne	Oakmont St	N Alexander	0.157	Asphalt	Composite	2
Helene	E 10 Mile Rd	Guthrie	0.052	Concrete	Concrete-Standard	6
Helene	Guthrie	Rowland	0.048	Concrete	Concrete-Standard	4
Helene	Kalama	Harwood	0.052	Concrete	Concrete-Standard	3
Helene	Harwood	E Lincoln	0.051	Concrete	Concrete-Standard	5
Helene	E 4th St	E 4th St	0.015	Asphalt	Composite	4
Helene	Barrett	Dallas	0.053	Concrete	Concrete-Standard	5

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Helene	Dallas	Brockton	0.051	Concrete	Concrete-Standard	4
Helene	Condition Change	E 11 Mile Rd	0.035	Concrete	Concrete-Standard	8
Helene	E Lincoln	E 6th St	0.163	Concrete	Concrete-Standard	3
Helene	E 6th St	E 4th St	0.138	Concrete	Concrete-Standard	4
Helene	E 4th St	Middlesex	0.059	Concrete	Concrete-Standard	3
Helene	Middlesex	Condition Change	0.098	Concrete	Concrete-Standard	3
Helene	Rowland	Barrett	0.051	Concrete	Concrete-Standard	5
Helene	Brockton	E Hudson	0.047	Concrete	Concrete-Standard	5
Helene	E Hudson	Kalama	0.05	Concrete	Concrete-Standard	5
Hendrie Blvd	W 6th St	W 4th St	0.161	Concrete	Concrete-Standard	6
Hendrie Blvd		Oak	0.031	Asphalt	Composite	10
Hendrie Blvd		Oak	0.042	Asphalt	Composite	10
Hendrie Blvd	W 4th St		0.063	Asphalt	Composite	10
Hendrie Blvd	W Lincoln	W 6th St	0.179	Concrete	Concrete-Standard	6
Hendrie Blvd	Woodward Ave		0.11	Asphalt	Composite	10
Hereford Dr	Huntington	City/Twp Line	0.086	Concrete	Concrete-Standard	7
Hickory	Crooks Rd	Cedar Dr	0.198	Concrete	Concrete-Standard	6
Hickory	Cedar Dr	Marais	0.162	Concrete	Concrete-Standard	4
Hickory	Marais	Orchard View Dr & Ellen	0.046	Concrete	Concrete-Standard	4
Highfield Rd	Pavement Change	Auburn Dr	0.025	Concrete	Concrete-Standard	4
Highfield Rd	Auburn Dr	Hillside Dr	0.038	Concrete	Concrete-Standard	4
Highfield Rd	Parkway Dr	Pavement Change	0.127	Asphalt	Composite	3
Highfield Rd	Amherst Rd	Parkway Dr	0.113	Concrete	Concrete-Standard	3
Hillcrest	Samoset	W 14 Mile Rd	0.129	Asphalt	Composite	8
Hillcrest	Nakota & Massoit Rd	Samoset	0.129	Concrete	Concrete-Standard	7
Hilldale	Woodsboro Dr	Orchard Grove Dr	0.057	Concrete	Concrete-Standard	6
Hilldale	Greenleaf Dr	Woodsboro Dr	0.056	Concrete	Concrete-Standard	5
Hilldale	Cedar Hill Dr	W 12 Mile Rd	0.059	Concrete	Concrete-Standard	3
Hilldale	Orchard Grove Dr	Cedar Hill Dr	0.057	Concrete	Concrete-Standard	6
Hilldale	W 11 Mile Rd	Dead End or Start	0.067	Concrete	Concrete-Standard	6
Hilldale Dr	Catalpa Dr	Lawndale Dr	0.065	Concrete	Concrete-Standard	4
Hilldale Dr	Cloverdale Dr	Pavement Change	0.047	Concrete	Concrete-Standard	4
Hilldale Dr	Pavement Change	Greenleaf Dr	0.019	Asphalt	Asphalt-Standard	7
Hilldale Dr	Lawndale Dr	Mayfield Dr	0.056	Concrete	Concrete-Standard	5
Hilldale Dr	Mayfield Dr	Cloverdale Dr	0.06	Concrete	Concrete-Standard	4
Hilldale Dr	Park	W Farnum	0.055	Concrete	Concrete-Standard	5
Hilldale Dr	Austin	Crane	0.074	Concrete	Concrete-Standard	5
Hilldale Dr	W Farnum	Austin	0.085	Concrete	Concrete-Standard	6

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Hilldale Dr	Crane	Catalpa Dr	0.107	Concrete	Concrete-Standard	6
Hillside Ct	Hillside Dr	Dead End or Start	0.055	Concrete	Concrete-Standard	3
Hillside Dr	John B Poole Dr & W 13 Mile Rd	Hillside Ct	0.061	Concrete	Concrete-Standard	3
Hillside Dr	Hillside Ct	Yorba Linda Blvd	0.058	Concrete	Concrete-Standard	4
Hillside Dr	Yorba Linda Blvd	Springer	0.06	Concrete	Concrete-Standard	5
Hillside Dr	Springer		0.051	Concrete	Concrete-Standard	6
Hillside Dr			0.011	Concrete	Concrete-Standard	5
Hillside Dr		Betsy Ross	0.02	Concrete	Concrete-Standard	5
Hillside Dr	Chester Rd	Highfield Rd	0.028	Concrete	Concrete-Standard	4
Hillside Dr	Highfield Rd	Parkview Dr	0.05	Concrete	Concrete-Standard	3
Hillside Dr	Parkview Dr	Normandy Rd	0.123	Concrete	Concrete-Standard	3
Hillside Dr	Betsy Ross	Amherst Rd	0.038	Concrete	Concrete-Standard	3
Hillside Dr	Amherst Rd	Chester Rd	0.024	Concrete	Concrete-Standard	4
Hoffman	Dondero Ave	Pavement Change	0.115	Concrete	Concrete-Standard	4
Hoffman	Pavement Change	E Hudson	0.098	Asphalt	Composite	9
Hoffman	E Hudson	E Lincoln	0.158	Asphalt	Composite	4
Hoffman	E 10 Mile Rd	Dondero Ave	0.087	Asphalt	Asphalt-Standard	2
Hunter	Woodward Ave	Pavement Change	0.063	Asphalt	Composite	3
Hunter	Pavement Change	Hampton Blvd	0.151	Concrete	Concrete-Standard	3
Hunter	Hampton Blvd	Mandalay	0.155	Concrete	Concrete-Standard	4
Huntington	York	Dundee	0.074	Concrete	Concrete-Standard	7
Huntington	Dundee	Hereford Dr	0.077	Concrete	Concrete-Standard	7
Huntington	Hereford Dr	City/Twp Line	0.047	Concrete	Concrete-Standard	7
Huron	N Vermont	Campbell Rd & N Campbell Rd	0.167	Asphalt	Composite	4
Iroquois Blvd	Pavement Change	Lawndale Dr	0.091	Asphalt	Asphalt-Standard	8
Iroquois Blvd	Catalpa Dr	Pavement Change	0.029	Concrete	Concrete-Standard	7
Irving	Longfellow	Anne Dr	0.068	Asphalt	Asphalt-Standard	5
Irving	Mohawk	Longfellow	0.059	Asphalt	Asphalt-Standard	4
Irving	Anne Dr	Dondero Ave	0.064	Asphalt	Composite	4
Irving	Dondero Ave	E Parent	0.099	Asphalt	Composite	4
Irving	Longfellow	Anne Dr	0.068	Asphalt	Asphalt-Standard	5
Irving	Mohawk	Longfellow	0.059	Asphalt	Asphalt-Standard	4
Irving	Anne Dr	Dondero Ave	0.064	Asphalt	Composite	4
Irving	Dondero Ave	E Parent	0.099	Asphalt	Composite	4
Irving	E Lincoln	E 6th St	0.167	Asphalt	Composite	8
Irving	E 6th St	E 5th St	0.066	Asphalt	Composite	5
Irving	E Parent	E Harrison	0.094	Asphalt	Composite	2
Irving	E Harrison	E Hudson	0.092	Asphalt	Composite	2

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Irving	E Hudson	E Lincoln	0.116	Asphalt	Composite	3
Jeffrey	Custer	N Washington	0.177	Asphalt	Composite	4
Jeffrey	N Washington	N Main	0.172	Asphalt	Composite	3
Josephine	Alfred Ave	Hartrick	0.045	Asphalt	Composite	10
Josephine	Hartrick	Sherman Dr	0.117	Asphalt	Composite	10
Kalama	Helene	Brinkey Ave	0.039	Concrete	Concrete-Standard	5
Kalama	Brinkey Ave	S Stephenson Hwy	0.149	Concrete	Concrete-Standard	8
Kalama	S Campbell Rd	S Kenwood	0.165	Concrete	Concrete-Standard	5
Kalama	S Kenwood	Helene	0.168	Concrete	Concrete-Standard	5
Kayser	E 2nd St	E 11 Mile Rd	0.055	Asphalt	Asphalt-Standard	5
Kayser	E 4th St	E 3rd St	0.046	Asphalt	Asphalt-Standard	5
Kayser	E 3rd St	E 3rd St	0.012	Asphalt	Asphalt-Standard	5
Kayser	E 3rd St	E 2nd St	0.057	Asphalt	Asphalt-Standard	5
Kayser	E Lincoln	E 6th St	0.165	Asphalt	Composite	6
Kayser	E 6th St	E 5th St	0.065	Asphalt	Composite	6
Kayser	E 5th St	E 4th St	0.046	Asphalt	Composite	5
Kayser	E 2nd St	E 11 Mile Rd	0.055	Asphalt	Asphalt-Standard	5
Kayser	E 4th St	E 3rd St	0.046	Asphalt	Asphalt-Standard	5
Kayser	E 3rd St	E 3rd St	0.012	Asphalt	Asphalt-Standard	5
Kayser	E 3rd St	E 2nd St	0.057	Asphalt	Asphalt-Standard	5
Kayser	E Lincoln	E 6th St	0.165	Asphalt	Composite	6
Kayser	E 6th St	E 5th St	0.065	Asphalt	Composite	6
Kayser	E 5th St	E 4th St	0.046	Asphalt	Composite	5
Kensington Dr	Yorba Linda Blvd	Rockingham Rd	0.1	Concrete	Concrete-Standard	4
Kensington Dr	Rockingham Rd	Chester Rd & Dukeshire Hwy	0.12	Concrete	Concrete-Standard	4
Kent Rd	Chester Rd	Normandy Rd	0.23	Concrete	Concrete-Standard	6
Kent Rd	Chester Rd	Dead End or Start	0.058	Concrete	Concrete-Standard	4
Kenwood Ave	Bellaire	Road Ends	0.012	Concrete	Concrete-Standard	5
Kenwood Ct	N Kenwood	N Edgeworth	0.05	Concrete	Concrete-Standard	4
Knowles	E 4th St	E 3rd St	0.05	Asphalt	Composite	2
Knowles	E 6th St	E 5th St	0.069	Asphalt	Composite	4
Knowles	E 5th St	E 4th St	0.051	Asphalt	Composite	4
Knowles	E 11 Mile Rd	Dead End or Start	0.054	Asphalt	Asphalt-Standard	10
Knowles	E 6th St	E 5th St	0.069	Asphalt	Composite	4
Knowles	E 5th St	E 4th St	0.051	Asphalt	Composite	4
Knowles	E 11 Mile Rd	Dead End or Start	0.054	Asphalt	Asphalt-Standard	10
Knowles	E Harrison	E Hudson	0.093	Concrete	Concrete-Standard	4
Knowles	E Hudson	E Lincoln	0.122	Concrete	Concrete-Standard	4

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Knowles	E Lincoln	E 7th St	0.092	Concrete	Concrete-Standard	6
Knowles	E 7th St	E 6th St	0.063	Concrete	Concrete-Standard	6
La Plaza Ct	N Washington	N Main	0.121	Concrete	Concrete-Standard	4
La Plaza Ct	Marywood Dr	N Washington	0.118	Concrete	Concrete-Standard	4
Laurome Dr	Vinsetta Blvd	W Houstonia	0.054	Concrete	Concrete-Standard	5
Laurome Dr	W Houstonia	Lloyd	0.12	Concrete	Concrete-Standard	5
Lawndale Dr	Hilldale Dr	Dead End or Start	0.058	Concrete	Concrete-Standard	4
Lawndale Dr	Fernwood Rd	Hilldale Dr	0.104	Asphalt	Asphalt-Standard	10
Lawndale Dr	Vinsetta Blvd	Vinsetta Blvd	0.019	Asphalt	Composite	5
Lawndale Dr	Vinsetta Blvd	Iroquois Blvd	0.02	Concrete	Concrete-Standard	4
Lawndale Dr	Iroquois Blvd	Oakridge	0.063	Concrete	Concrete-Standard	5
Lawson	E Lincoln	E 6th St	0.159	Asphalt	Composite	4
Leafdale	Samoset	W 14 Mile Rd	0.129	Concrete	Concrete-Standard	3
Leafdale	W 14 Mile Rd	Parmenter Blvd	0.179	Concrete	Concrete-Standard	3
Leafdale	Parmenter Blvd	Torquay	0.159	Concrete	Concrete-Standard	4
Lenox Ave	Barrett	Dallas	0.052	Concrete	Concrete-Standard	2
Lexington Blvd	Custer	N Washington	0.165	Concrete	Concrete-Standard	8
Lexington Blvd	Marais	Custer	0.258	Concrete	Concrete-Standard	3
Lexington Blvd	N Washington	N Main	0.172	Concrete	Concrete-Standard	4
Linden	Rochester Rd	Fern	0.101	Concrete	Concrete-Standard	4
Linden	N Main	Rochester Rd	0.245	Concrete	Concrete-Standard	4
Linwood	Woodward Ave	W 12 Mile Rd	0.134	Asphalt	Composite	9
Linwood	Northwood Blvd	Lloyd	0.154	Asphalt	Composite	9
Linwood	W Webster Rd	Glenwood Rd	0.175	Concrete	Concrete-Standard	9
Linwood	Lloyd	Carman	0.145	Asphalt	Composite	2
Linwood	Carman	W Webster Rd	0.105	Asphalt	Composite	2
Linwood	Glenwood Rd	Woodland	0.115	Concrete	Concrete-Standard	3
Linwood	Woodland	Linwood Ct	0.055	Concrete	Concrete-Standard	3
Linwood	Linwood Ct	Essex	0.019	Concrete	Concrete-Standard	3
Linwood	Essex	Elmhurst	0.117	Concrete	Concrete-Standard	2
Linwood	Starr Rd	Chester Rd	0.226	Concrete	Concrete-Standard	4
Linwood	Chester Rd	Normandy Rd	0.231	Concrete	Concrete-Standard	5
Linwood Ct	Linwood	Dead End or Start	0.033	Concrete	Concrete-Standard	4
Lloyd	Laurome Dr	Vinsetta Blvd	0.062	Concrete	Concrete-Standard	6
Lloyd	Vinsetta Blvd	Vinsetta Blvd	0.012	Asphalt	Composite	4
Lloyd	Elmhurst	Linwood	0.064	Asphalt	Composite	9
Lloyd	Crooks Rd	Beechwood Dr	0.179	Concrete	Concrete-Standard	4
Lloyd	Beechwood Dr	Marywood Dr	0.139	Concrete	Concrete-Standard	4

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Lloyd	Evergreen Dr	Lyons	0.035	Concrete	Concrete-Standard	4
Lloyd	Lyons	Alicia Ln	0.066	Concrete	Concrete-Standard	4
Lloyd	Alicia Ln	Murdock	0.048	Concrete	Concrete-Standard	5
Lloyd	Murdock	Laurome Dr	0.009	Concrete	Concrete-Standard	4
Lloyd	Vinsetta Blvd	McDonald Ave	0.065	Concrete	Concrete-Standard	5
Lloyd	Clawson	Elmhurst	0.066	Concrete	Concrete-Standard	3
Lloyd	Woodland	Fernclyff	0.055	Concrete	Concrete-Standard	3
Lloyd	Fernclyff	Maplewood	0.062	Concrete	Concrete-Standard	4
Lloyd	Linwood	Woodland	0.058	Concrete	Concrete-Standard	3
Lloyd	Maplewood	Northwood Blvd	0.061	Concrete	Concrete-Standard	4
Lloyd	Northwood Blvd	Bonnie View Dr	0.13	Concrete	Concrete-Standard	3
Lockwood Rd	Crane	Catalpa Dr	0.109	Asphalt	Composite	9
Lockwood Rd	W Farnum	Austin	0.081	Asphalt	Composite	10
Lockwood Rd	Austin	Crane	0.073	Asphalt	Composite	10
Longfellow	E Harrison	E Hudson	0.092	Asphalt	Composite	2
Longfellow	E Hudson	E Lincoln	0.111	Asphalt	Composite	2
Longfellow	Irving	Dondero Ave	0.072	Asphalt	Composite	2
Longfellow	Dondero Ave	E Parent	0.098	Asphalt	Composite	3
Longfellow	E Parent	E Harrison	0.097	Asphalt	Composite	2
Louis	N Maple	N Laurel & Sherman Dr	0.115	Concrete	Concrete-Standard	4
Louis	Maxwell	N Maple	0.083	Concrete	Concrete-Standard	5
Lyons	Lloyd	Crooks Rd	0.214	Asphalt	Composite	9
Mace	N Minerva	N Stephenson Hwy	0.105	Concrete	Concrete-Standard	3
Magnolia	Beechwood Dr	Marywood Dr	0.137	Concrete	Concrete-Standard	3
Magnolia	Vinsetta Blvd	Vinsetta Blvd	0.018	Concrete	Concrete-Standard	3
Magnolia	Vinsetta Blvd	Beechwood Dr	0.177	Concrete	Concrete-Standard	4
Mandalay	Normandy Rd	Massoit Rd	0.129	Asphalt	Composite	5
Mandalay	Samoset	W 14 Mile Rd	0.129	Concrete	Concrete-Standard	4
Mandalay	Massoit Rd	Nakota	0.126	Concrete	Concrete-Standard	4
Mandalay	Starr Rd	Ravena	0.063	Asphalt	Composite	6
Mandalay	Ravena	Chester Rd	0.068	Concrete	Concrete-Standard	5
Mandalay	Chester Rd	Hunter	0.068	Concrete	Concrete-Standard	6
Manitou Blvd	W 13 Mile Rd	W Windemere	0.055	Concrete	Concrete-Standard	5
Mankato	Massoit Rd	Nakota	0.127	Concrete	Concrete-Standard	4
Mankato	Samoset	W 14 Mile Rd	0.129	Concrete	Concrete-Standard	3
Mankato	Normandy Rd	Massoit Rd	0.127	Concrete	Concrete-Standard	4
Manor	Normandy Rd	Cresthill	0.131	Asphalt	Composite	8
Manor	Cresthill	Pavement Change	0.055	Asphalt	Composite	8

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Manor	Pavement Change	Crooks Rd	0.051	Concrete	Concrete-Standard	2
Mansfield	W 14 Mile Rd	Parmenter Blvd	0.137	Concrete	Concrete-Standard	6
Mansfield	Parmenter Blvd	Torquay	0.201	Concrete	Concrete-Standard	6
Maplegrove	Catalpa Dr	Mayfield Dr	0.154	Asphalt	Asphalt-Standard	8
Maplegrove	W Farnum	Catalpa Dr	0.206	Asphalt	Composite	8
Maplewood	Sycamore	Northwood Blvd	0.027	Asphalt	Composite	3
Maplewood	W 12 Mile Rd	Roseland	0.064	Concrete	Concrete-Standard	3
Maplewood	Roseland	W Houstonia	0.062	Concrete	Concrete-Standard	3
Maplewood	W Houstonia	Sycamore	0.059	Concrete	Concrete-Standard	3
Maplewood	Northwood Blvd	Lloyd	0.041	Asphalt	Composite	3
Maplewood	Lloyd	Bonnie View Dr	0.121	Asphalt	Composite	4
Maplewood	Bonnie View Dr	W Webster Rd	0.128	Asphalt	Composite	3
Maplewood	Glenwood Rd & Ferncliff		0.035	Concrete	Concrete-Standard	5
Maplewood	Glenwood Rd	Essex	0.198	Concrete	Concrete-Standard	4
Maplewood	W Webster Rd		0.18	Concrete	Concrete-Standard	5
Maplewood	Essex	W 13 Mile Rd	0.139	Concrete	Concrete-Standard	4
Marais	Vinsetta Blvd	W Webster Rd	0.08	Concrete	Concrete-Standard	4
Marais	W Webster Rd	Hickory	0.087	Concrete	Concrete-Standard	4
Marais	Butternut	Poplar	0.09	Concrete	Concrete-Standard	3
Marais	W Windemere	Mount Vernon Blvd	0.055	Concrete	Concrete-Standard	6
Marais	Mount Vernon Blvd	Lexington Blvd	0.114	Concrete	Concrete-Standard	6
Marion Dr	Poplar	W 13 Mile Rd	0.098	Concrete	Concrete-Standard	3
Mark Orr Rd	Starr Rd	Normandy Rd	0.325	Concrete	Concrete-Standard	5
Marlin	Rochester Rd	Fern	0.226	Concrete	Concrete-Standard	4
Marlin	Fern	Cody St	0.174	Concrete	Concrete-Standard	4
Mary Ave	N Center	N Main	0.053	Concrete	Concrete-Standard	4
Mary Ave	Marywood Dr	N Lafayette	0.06	Concrete	Concrete-Standard	4
Mary Ave	N Lafayette	N Washington	0.059	Concrete	Concrete-Standard	4
Mary Ave	N Washington	N Center	0.068	Concrete	Concrete-Standard	4
Marywood Dr	W 12 Mile Rd	Cherry	0.063	Asphalt	Composite	8
Marywood Dr	Cherry	Mary Ave	0.037	Asphalt	Composite	9
Marywood Dr	Crooks Rd	Waverley	0.081	Asphalt	Asphalt-Standard	8
Marywood Dr	Walnut	W Houstonia	0.061	Concrete	Concrete-Standard	5
Marywood Dr	W Houstonia	La Plaza Ct	0.053	Concrete	Concrete-Standard	5
Marywood Dr	La Plaza Ct	Lloyd	0.036	Concrete	Concrete-Standard	5
Marywood Dr	Lloyd	Aqua Ct	0.027	Concrete	Concrete-Standard	4
Marywood Dr	Mary Ave	Walnut	0.026	Concrete	Concrete-Standard	5
Marywood Dr	Walnut	Walnut	0.026	Concrete	Concrete-Standard	5

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Marywood Dr	Vinsetta Blvd	W Webster Rd	0.081	Concrete	Concrete-Standard	6
Marywood Dr	Aqua Ct	Magnolia	0.06	Concrete	Concrete-Standard	4
Marywood Dr	Magnolia	Potawatomi Blvd	0.049	Concrete	Concrete-Standard	5
Marywood Dr	Potawatomi Blvd	Vinsetta Blvd	0.035	Concrete	Concrete-Standard	4
Marywood Dr	Vinsetta Blvd	Vinsetta Blvd	0.017	Concrete	Concrete-Standard	4
Marywood Dr	Waverley	W 12 Mile Rd	0.066	Concrete	Concrete-Standard	5
Marywood Dr	Austin	Upton Ave	0.035	Concrete	Concrete-Standard	5
Marywood Dr	Upton Ave	Catalpa Dr	0.137	Concrete	Concrete-Standard	5
Marywood Dr	W Derby Ave	Woodsboro Dr	0.125	Concrete	Concrete-Standard	4
Marywood Dr	Catalpa Dr	W Derby Ave	0.12	Concrete	Concrete-Standard	4
Marywood Dr	Woodsboro Dr	Crooks Rd	0.116	Concrete	Concrete-Standard	4
Mason Ct	E 11 Mile Rd	Dead End or Start	0.036	Concrete	Concrete-Standard	6
Massoit Rd	Robinwood	Olivia	0.012	Asphalt	Composite	8
Massoit Rd	Cresthill	Hillcrest & Nakota	0.119	Concrete	Concrete-Standard	9
Massoit Rd	Cooper	Elmwood	0.063	Concrete	Concrete-Standard	3
Massoit Rd	Elmwood	Robinwood	0.06	Concrete	Concrete-Standard	3
Massoit Rd	Mandalay	Coolidge Rd	0.06	Concrete	Concrete-Standard	2
Massoit Rd	Woodland	Rosewold	0.063	Concrete	Concrete-Standard	6
Massoit Rd	Rosewold	Cresthill	0.073	Concrete	Concrete-Standard	6
Massoit Rd	Mandalay	Coolidge Rd	0.011	Concrete	Concrete-Standard	2
Maxwell	Louis	Sherman Dr	0.069	Asphalt	Asphalt-Standard	8
Maxwell	Park	W Farnum	0.056	Asphalt	Asphalt-Standard	8
Maxwell	W 11 Mile Rd	Louis	0.071	Asphalt	Composite	8
Maxwell	Catalpa Dr	Lawndale Dr	0.053	Concrete	Concrete-Standard	5
Maxwell	Lawndale Dr	Mayfield Dr	0.061	Concrete	Concrete-Standard	4
Maxwell	Mayfield Dr	W Derby Ave	0.026	Concrete	Concrete-Standard	5
Maxwell	W Derby Ave	Cloverdale Dr	0.031	Concrete	Concrete-Standard	3
Maxwell	Austin	Crane	0.073	Concrete	Concrete-Standard	5
Maxwell	Sherman Dr	Florence	0.018	Asphalt	Asphalt-Standard	10
Maxwell	Florence	Park	0.054	Asphalt	Asphalt-Standard	10
Maxwell	W Farnum	Austin	0.091	Asphalt	Asphalt-Standard	10
Maxwell	Crane	Catalpa Dr	0.115	Concrete	Concrete-Standard	4
Maxwell	Cedar Hill Dr	W 12 Mile Rd	0.057	Concrete	Concrete-Standard	6
Maxwell	Cloverdale Dr	Greenleaf Dr	0.059	Concrete	Concrete-Standard	6
Maxwell	Greenleaf Dr	Woodsboro Dr	0.033	Concrete	Concrete-Standard	6
Maxwell	Woodsboro Dr	Woodsboro Dr	0.024	Concrete	Concrete-Standard	6
Maxwell	Woodsboro Dr	Orchard Grove Dr	0.057	Concrete	Concrete-Standard	7
Maxwell	Orchard Grove Dr	Cedar Hill Dr	0.059	Concrete	Concrete-Standard	6

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Mayfield Dr	Maplegrove	Forestdale Rd	0.055	Asphalt	Asphalt-Standard	7
Mayfield Dr	Forestdale Rd	Forestdale Rd	0.039	Concrete	Concrete-Standard	6
Mayfield Dr	Cloverdale Dr & Fernwood Rd	Hilldale Dr	0.111	Concrete	Concrete-Standard	5
Mayfield Dr	Vinsetta Blvd	Maplegrove	0.101	Asphalt	Asphalt-Standard	10
Mayfield Dr	Forestdale Rd	Cloverdale Dr & Fernwood Rd	0.023	Concrete	Concrete-Standard	5
Mayfield Dr	Maxwell	Dead End or Start	0.048	Concrete	Concrete-Standard	4
McDonald Ave	W 12 Mile Rd	W Houstonia	0.171	Asphalt	Composite	9
McDonald Ave	W Houstonia	Lloyd	0.099	Concrete	Concrete-Standard	9
McDonald Ave	Lloyd	Crooks Rd	0.032	Asphalt	Composite	2
McLean Ave	E 10 Mile Rd	E Hudson	0.298	Concrete	Concrete-Standard	3
McLean Ave	E Hudson	E Lincoln	0.157	Concrete	Concrete-Standard	4
Meijer Drive	Coolidge	End of Road	0.24	Asphalt	Composite	9
Melody Ct	Ardmore	Dead End or Start	0.1	Concrete	Concrete-Standard	4
Merrill	Coolidge Hwy	Woodward Ave	0.177	Concrete	Concrete-Standard	4
Merrill	Webster Rd	Coolidge Hwy	0.267	Concrete	Concrete-Standard	4
Merrill	Webster Rd	Coolidge Hwy	0.011	Concrete	Concrete-Standard	4
Middlesex	Helene	S Stephenson Hwy	0.082	Concrete	Concrete-Standard	4
Midland Blvd	N Main	Glendale	0.174	Concrete	Concrete-Standard	4
Midland Blvd	N Alexander	N Blair	0.245	Concrete	Concrete-Standard	5
Midland Blvd	N Blair	Campbell Rd	0.265	Concrete	Concrete-Standard	4
Midland Blvd	Glendale	Rochester Rd	0.162	Concrete	Concrete-Standard	4
Midland Blvd	Rochester Rd	N Alexander	0.163	Concrete	Concrete-Standard	5
Millard	Rochester Rd	N Alexander	0.136	Concrete	Concrete-Standard	4
Millard	N Alexander	N Blair	0.196	Concrete	Concrete-Standard	4
Millard	N Blair	pavement change	0.052	Concrete	Concrete-Standard	4
Millard	pavement change	Campbell Rd	0.216	Asphalt	Composite	8
Mohawk	Irving	Lincoln	0.014	Asphalt	Composite	9
Montrose	N Alexander	N Blair	0.246	Concrete	Concrete-Standard	4
Montrose	N Blair	Campbell Rd	0.266	Concrete	Concrete-Standard	4
Montrose	Rochester Rd & Edmund	N Alexander	0.122	Concrete	Concrete-Standard	4
Morse	E Parent	E Harrison	0.094	Concrete	Concrete-Standard	4
Murdock	Lloyd	Vinsetta Blvd	0.114	Asphalt	Composite	3
N Alexander	Woodlawn	Englewood	0.062	Concrete	Concrete-Standard	4
N Alexander	pavement change	Millard	0.026	Concrete	Concrete-Standard	4
N Alexander	De Villen	De Villen	0.032	Concrete	Concrete-Standard	7
N Alexander	E La Salle	E Bloomfield	0.057	Concrete	Concrete-Standard	5
N Alexander	E Bloomfield	E 13 Mile Rd	0.123	Concrete	Concrete-Standard	4
N Alexander	E University	E Farnum	0.144	Asphalt	Composite	4

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
N Alexander	Gardenia	Derby Ave	0.15	Concrete	Concrete-Standard	4
N Alexander	Derby Ave	Bellaire	0.149	Concrete	Concrete-Standard	4
N Alexander	Bellaire	E 12 Mile Rd	0.157	Concrete	Concrete-Standard	5
N Alexander	Amelia	pavement change	0.027	Asphalt	Composite	8
N Alexander	E 11 Mile Rd	E University	0.14	Asphalt	Composite	3
N Alexander	E University	E Farnum	0.144	Asphalt	Composite	4
N Alexander	E Windemere	Midland Blvd	0.063	Concrete	Concrete-Standard	3
N Alexander	Midland Blvd	Woodlawn	0.065	Concrete	Concrete-Standard	4
N Alexander	E 13 Mile Rd	E Windemere	0.061	Concrete	Concrete-Standard	4
N Alexander	Englewood	Montrose	0.061	Concrete	Concrete-Standard	3
N Alexander	Hawthorne	Gardenia	0.055	Concrete	Concrete-Standard	4
N Alexander	Forest	Hawthorne	0.066	Concrete	Concrete-Standard	4
N Alexander	Baldwin	Forest	0.072	Concrete	Concrete-Standard	5
N Alexander	E Farnum	Baldwin	0.068	Concrete	Concrete-Standard	8
N Altadena	E 11 Mile Rd	E University	0.139	Concrete	Concrete-Standard	4
N Altadena	E Farnum	Forest	0.138	Concrete	Concrete-Standard	4
N Altadena	Gardenia	Derby Ave	0.149	Asphalt	Composite	9
N Altadena	Derby Ave	Bellaire	0.15	Asphalt	Composite	9
N Altadena	De Villen	E Bloomfield	0.171	Concrete	Concrete-Standard	4
N Altadena	E Bloomfield	E 13 Mile Rd	0.126	Concrete	Concrete-Standard	4
N Altadena	Forest	Gardenia	0.121	Concrete	Concrete-Standard	4
N Altadena	E University	E Farnum	0.144	Concrete	Concrete-Standard	4
N Altadena	Bellaire	E 12 Mile Rd	0.158	Asphalt	Composite	9
N Blair	Montrose	E Sunnybrook Rd	0.053	Concrete	Concrete-Standard	4
N Blair	E Sunnybrook Rd	Amelia	0.064	Concrete	Concrete-Standard	3
N Blair	Amelia	Millard	0.054	Concrete	Concrete-Standard	6
N Blair	Millard	Whitcomb	0.081	Concrete	Concrete-Standard	4
N Blair	De Villen	E Bloomfield	0.172	Concrete	Concrete-Standard	4
N Blair	E Bloomfield	E 13 Mile Rd	0.124	Concrete	Concrete-Standard	4
N Blair	Bellaire	E 12 Mile Rd	0.152	Asphalt	Composite	5
N Blair	Gardenia	Derby Ave	0.15	Asphalt	Composite	9
N Blair	Derby Ave	Bellaire	0.149	Asphalt	Composite	5
N Blair	E 11 Mile Rd & S Blair	E University	0.138	Concrete	Concrete-Standard	4
N Blair	Bellaire	E 12 Mile Rd	0.152	Asphalt	Composite	5
N Blair	Gardenia	Derby Ave	0.15	Asphalt	Composite	9
N Blair	Derby Ave	Bellaire	0.149	Asphalt	Composite	5
N Blair	E Windemere	Midland Blvd	0.065	Concrete	Concrete-Standard	3
N Blair	E 13 Mile Rd	E Windemere	0.061	Concrete	Concrete-Standard	4

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
N Blair	Midland Blvd	Woodlawn	0.064	Concrete	Concrete-Standard	3
N Blair	Woodlawn	Englewood	0.062	Concrete	Concrete-Standard	4
N Blair	Englewood	Montrose	0.063	Concrete	Concrete-Standard	3
N Blair	E University	E Farnum	0.145	Concrete	Concrete-Standard	4
N Blair	E Farnum	Forest	0.135	Concrete	Concrete-Standard	3
N Blair	Forest	Gardenia	0.121	Concrete	Concrete-Standard	4
N Center	S Center & W 11 Mile Rd	W University	0.04	Asphalt	Composite	4
N Center	W University	W Farnum	0.048	Asphalt	Composite	5
N Center	W Farnum	Willis	0.123	Asphalt	Composite	4
N Center	W Derby Ave	Catalpa Dr	0.107	Concrete	Concrete-Standard	6
N Center	Mary Ave	W 12 Mile Rd	0.101	Concrete	Concrete-Standard	4
N Center	Catalpa Dr	Dead End or Start	0.06	Concrete	Concrete-Standard	5
N Connecticut	De Villen	E Bloomfield	0.169	Concrete	Concrete-Standard	4
N Connecticut	E Bloomfield	E 13 Mile Rd	0.126	Concrete	Concrete-Standard	4
N Connecticut	S Connecticut & E 11 Mile Rd	E University	0.141	Concrete	Concrete-Standard	4
N Connecticut	E University	E Farnum	0.141	Concrete	Concrete-Standard	4
N Connecticut	E Farnum	Forest	0.136	Concrete	Concrete-Standard	4
N Connecticut	Forest	Gardenia	0.119	Concrete	Concrete-Standard	4
N Connecticut	Bellaire	E 12 Mile Rd	0.137	Concrete	Concrete-Standard	4
N Connecticut	Red Run Dr	E Houstonia	0.167	Asphalt	Asphalt-Standard	8
N Connecticut	E 12 Mile Rd	Red Run Dr	0.055	Asphalt	Asphalt-Standard	8
N Connecticut	E Houstonia	Parkdale	0.186	Asphalt	Asphalt-Standard	8
N Connecticut	Gardenia	Dead End or Start	0.107	Concrete	Concrete-Standard	5
N Connecticut	Parkdale	Girard	0.192	Asphalt	Composite	2
N Connecticut	Girard	De Villen	0.146	Asphalt	Composite	2
N Dorchester	E Farnum	Forest	0.139	Concrete	Concrete-Standard	4
N Dorchester	Forest	Gardenia	0.137	Asphalt	Asphalt-Standard	2
N Edgeworth	Gardenia	Kenwood Ct	0.094	Concrete	Concrete-Standard	4
N Edgeworth	S Edgeworth & E 11 Mile Rd	E University	0.147	Concrete	Concrete-Standard	4
N Edgeworth	E University	E Farnum	0.128	Concrete	Concrete-Standard	4
N Edgeworth	Forest	Gardenia	0.133	Asphalt	Asphalt-Standard	8
N Edgeworth	Bellaire	W 12 Mile Rd	0.167	Concrete	Concrete-Standard	3
N Edison	Gardenia	Forest	0.14	Asphalt	Asphalt-Standard	9
N Edison	Forest	Dead End or Start	0.095	Concrete	Concrete-Standard	3
N Edison	E University	S Edison & E 11 Mile Rd	0.146	Concrete	Concrete-Standard	4
N Edison	Bellaire	Dead End or Start	0.034	Concrete	Concrete-Standard	5
N Fulton Pl	Grandview Rd	N Verona Cir	0.111	Concrete	Concrete-Standard	5
N Fulton Pl	S Fulton Pl & Normandy Rd	Grandview Rd	0.084	Concrete	Concrete-Standard	5

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
N Gainsborough	E 11 Mile Rd & S Gainsborough	E University	0.139	Asphalt	Composite	4
N Gainsborough	E University	E Farnum	0.145	Asphalt	Composite	4
N Gainsborough	E 11 Mile Rd & S Gainsborough	E University	0.139	Asphalt	Composite	4
N Gainsborough	E University	E Farnum	0.145	Asphalt	Composite	4
N Gainsborough	Forest	Gardenia	0.12	Concrete	Concrete-Standard	6
N Gainsborough	E Farnum	Forest	0.137	Concrete	Concrete-Standard	5
N Kenwood	Gardenia	Kenwood Ct	0.1	Concrete	Concrete-Standard	5
N Kenwood	S Kenwood & E 11 Mile Rd	E University	0.147	Concrete	Concrete-Standard	3
N Kenwood	E University	E Farnum	0.13	Concrete	Concrete-Standard	2
N Kenwood	Forest	Gardenia	0.133	Asphalt	Asphalt-Standard	2
N Lafayette	Catalpa Dr	W Derby Ave	0.116	Concrete	Concrete-Standard	5
N Lafayette	W 12 Mile Rd	Mary Ave	0.101	Concrete	Concrete-Standard	5
N Lafayette	W 11 Mile Rd	Oakland	0.114	Concrete	Concrete-Standard	4
N Lafayette	Catalpa Dr	Dead End or Start	0.069	Concrete	Concrete-Standard	6
N Laurel	W 11 Mile Rd	Louis & Sherman Dr	0.06	Concrete	Concrete-Standard	7
N Maple	Catalpa Dr	W Derby Ave	0.069	Asphalt	Composite	4
N Maple	Sherman Dr	Florence	0.069	Asphalt	Composite	4
N Maple	Florence	Park	0.092	Asphalt	Composite	3
N Maple	Park	W Farnum	0.055	Asphalt	Asphalt-Standard	3
N Maple	S Maple & W 11 Mile Rd	Louis	0.06	Concrete	Concrete-Standard	4
N Maple	Louis	Louis	0.011	Concrete	Concrete-Standard	5
N Maple	Louis	Sherman Dr	0.048	Concrete	Concrete-Standard	4
N Maple	W Derby Ave	Woodsboro Dr	0.123	Asphalt	Composite	4
N Maple	Woodsboro Dr	W 12 Mile Rd	0.197	Asphalt	Composite	3
N Maple	Dead End or Start	Catalpa Dr	0.124	Concrete	Concrete-Standard	4
N Minerva	E 11 Mile Rd & S Minerva	Mace	0.061	Concrete	Concrete-Standard	3
N Minerva	Mace	Baxter	0.05	Concrete	Concrete-Standard	3
N Minerva	Baxter	E University	0.035	Concrete	Concrete-Standard	3
N Minerva	E University	Sprague	0.065	Concrete	Concrete-Standard	3
N Minerva	Sprague	E Farnum	0.063	Concrete	Concrete-Standard	2
N Pleasant	W Derby Ave	Woodsboro Dr	0.125	Asphalt	Composite	8
N Pleasant	Catalpa Dr	W Derby Ave	0.13	Asphalt	Composite	8
N Pleasant	Woodsboro Dr	W 12 Mile Rd	0.196	Asphalt	Composite	7
N Pleasant	Upton Ave	Catalpa Dr	0.129	Concrete	Concrete-Standard	5
N Rembrandt	E 11 Mile Rd	E University	0.138	Concrete	Concrete-Standard	5
N Rembrandt	E University	E Farnum	0.145	Asphalt	Asphalt-Standard	9
N Rembrandt	E Farnum	Forest	0.136	Asphalt	Asphalt-Standard	9
N Rembrandt	Forest	Gardenia	0.121	Asphalt	Asphalt-Standard	9

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
N Troy	Pavement Change	Farnum	0.23	Concrete	Concrete-Standard	6
N Troy	E 11 Mile Rd	Pavement Change	0.05	Asphalt	Composite	3
N Vermont	Whitcomb	Bauman	0.059	Concrete	Concrete-Standard	4
N Vermont	Girard	Pavement Change	0.03	Concrete	Concrete-Standard	4
N Vermont	E Bloomfield	E 13 Mile Rd	0.125	Concrete	Concrete-Standard	4
N Vermont	E 11 Mile Rd & S Vermont	E University	0.141	Asphalt	Asphalt-Standard	5
N Vermont	E University	E Farnum	0.14	Asphalt	Asphalt-Standard	6
N Vermont	Donald	Condition Change	0.026	Concrete	Concrete-Standard	3
N Vermont	Condition Change	Ottawa	0.057	Concrete	Concrete-Standard	4
N Vermont	Ottawa	Huron	0.065	Concrete	Concrete-Standard	4
N Vermont	Huron	Genesee	0.044	Concrete	Concrete-Standard	4
N Vermont	Genesee	Genesee	0.023	Concrete	Concrete-Standard	5
N Vermont	Genesee	E 14 Mile Rd	0.082	Concrete	Concrete-Standard	5
N Vermont	Bellaire	E 12 Mile Rd	0.146	Asphalt	Composite	9
N Vermont	Gardenia	Derby Ave	0.154	Asphalt	Composite	9
N Vermont	Derby Ave	Bellaire	0.149	Asphalt	Composite	9
N Vermont	E 12 Mile Rd	E Houstonia	0.213	Concrete	Concrete-Standard	4
N Vermont	E Houstonia	Parkdale	0.187	Concrete	Concrete-Standard	3
N Vermont	Parkdale	Girard	0.196	Concrete	Concrete-Standard	3
N Vermont	Bauman	Donald	0.063	Concrete	Concrete-Standard	3
N Vermont	De Villen	E Bloomfield	0.171	Concrete	Concrete-Standard	4
N Vermont	E Farnum	Forest	0.136	Concrete	Concrete-Standard	5
N Vermont	Forest	Gardenia	0.12	Concrete	Concrete-Standard	4
N Vermont	Pavement Change	De Villen	0.111	Asphalt	Composite	1
N Verona Cir	Normandy Rd & S Verona Cir	N Fulton Pl	0.056	Concrete	Concrete-Standard	5
N Verona Cir	N Fulton Pl	Wrenford Rd	0.03	Concrete	Concrete-Standard	5
N Verona Cir	Wrenford Rd	Greenfield Rd & Verona Cir	0.08	Concrete	Concrete-Standard	5
N Washington	W Webster Rd	Orchard View Dr	0.059	Concrete	Concrete-Standard	6
N Washington	Vinsetta Blvd	W Webster Rd	0.082	Concrete	Concrete-Standard	6
N Washington	pavement change	Charlotte	0.033	Asphalt	Composite	8
N Washington	Charlotte	W Sunnybrook Rd	0.072	Asphalt	Composite	8
N Washington	W Sunnybrook Rd	pavement change	0.038	Asphalt	Composite	8
N Washington	pavement change	Jeffrey	0.024	Concrete	Concrete-Standard	8
N Washington	Normandy Rd	Chippewa St & S Washington	0.063	Concrete	Concrete-Standard	2
N Washington	W 12 Mile Rd	Mary Ave	0.101	Concrete	Concrete-Standard	6
N Washington	Walnut	W Houstonia	0.066	Concrete	Concrete-Standard	4
N Washington	W Houstonia	La Plaza Ct	0.052	Concrete	Concrete-Standard	4
N Washington	Mary Ave	Walnut	0.047	Concrete	Concrete-Standard	5

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
N Washington	La Plaza Ct	Aqua Ct	0.062	Concrete	Concrete-Standard	5
N Washington	Aqua Ct	Dead End or Start	0.059	Concrete	Concrete-Standard	5
N Washington	Vinsetta Blvd	Vinsetta Blvd	0.011	Concrete	Concrete-Standard	4
N Washington	Lexington Blvd	pavement change	0.054	Concrete	Concrete-Standard	4
N Washington	Jeffrey	Normandy Rd	0.06	Concrete	Concrete-Standard	3
N Washington	pavement change	Lexington Blvd	0.061	Concrete	Concrete-Standard	7
N West	Park	W Farnum	0.055	Asphalt	Asphalt-Standard	10
N West	W 11 Mile Rd & S West	Sherman Dr	0.026	Concrete	Concrete-Standard	4
N West	Sherman Dr	Dead End or Start	0.04	Concrete	Concrete-Standard	4
N West	Oakland	Park	0.117	Concrete	Concrete-Standard	7
N Wilson	De Villen	E Bloomfield	0.17	Concrete	Concrete-Standard	4
N Wilson	E Bloomfield	E 13 Mile Rd	0.124	Concrete	Concrete-Standard	4
N Wilson	E 11 Mile Rd & S Wilson	E University	0.141	Concrete	Concrete-Standard	4
N Wilson	Gardenia	Derby Ave	0.16	Concrete	Concrete-Standard	4
N Wilson	Derby Ave	Bellaire	0.066	Concrete	Concrete-Standard	4
N Wilson	E Farnum	Forest	0.137	Asphalt	Asphalt-Standard	2
N Wilson	Girard	De Villen	0.148	Concrete	Concrete-Standard	6
N Wilson	Red Run Dr	E Houstonia	0.168	Concrete	Concrete-Standard	6
N Wilson	E Houstonia	Parkdale	0.187	Concrete	Concrete-Standard	6
N Wilson	Parkdale	Girard	0.189	Concrete	Concrete-Standard	6
N Wilson	E University	E Farnum	0.139	Concrete	Concrete-Standard	3
N Wilson	Forest	Gardenia	0.119	Asphalt	Asphalt-Standard	2
Nakota	Olivia	Tonawanda	0.055	Asphalt	Composite	9
Nakota	Hampton Blvd	Mankato	0.062	Concrete	Concrete-Standard	9
Nakota	Tonawanda	Hampton Blvd	0.064	Asphalt	Composite	2
Nakota	Groveland	Olivia	0.052	Asphalt	Composite	8
Nakota	Elmwood	Robinwood	0.06	Asphalt	Composite	8
Nakota	Woodland	Rosewold	0.063	Asphalt	Composite	1
Nakota	Elmhurst	Thorncroft	0.067	Asphalt	Composite	9
Nakota	Hillcrest & Massoit Rd	Crooks Rd	0.068	Asphalt	Composite	4
Nakota	Cooper	Elmwood	0.059	Concrete	Concrete-Standard	4
Nakota	Mankato	Mandalay	0.061	Concrete	Concrete-Standard	4
Nakota	Mandalay	Coolidge Rd	0.062	Concrete	Concrete-Standard	2
Nakota	Sedgemoor	Hillcrest & Massoit Rd	0.06	Concrete	Concrete-Standard	7
Nakota	Rosewold	Sedgemoor	0.065	Asphalt	Composite	1
Nakota	Thorncroft	Woodland	0.065	Asphalt	Composite	9
Nakota	Delemere Blvd	Briarwood	0.132	Asphalt	Composite	1
Nakota	Briarwood	Elmhurst	0.067	Asphalt	Composite	9

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Nakota	Woodward Ave	Cooper	0.064	Concrete	Concrete-Standard	4
Nakota	Robinwood	Groveland	0.033	Concrete	Concrete-Standard	5
Nakota	Dead End or Start	Fernlee	0.065	Concrete	Concrete-Standard	2
Nakota	Fernlee	Delemere Blvd	0.068	Concrete	Concrete-Standard	4
Ninth St	Woodward Ave	S Lafayette	0.197	Asphalt	Composite	2
Ninth St	S Lafayette	S Washington	0.08	Asphalt	Composite	4
Normandy Ct	Normandy Rd	Edgeland	0.121	Concrete	Concrete-Standard	7
Normandy Ct	Edgeland	Dead End or Start	0.109	Concrete	Concrete-Standard	7
Northwood Blvd	Maplewood	Lloyd	0.075	Asphalt	Composite	2
Northwood Blvd	Lloyd	Glenview	0.009	Asphalt	Composite	4
Northwood Blvd	Glenview	Bonnie View Dr & Oliver Rd	0.083	Asphalt	Composite	2
Northwood Blvd	Bonnie View Dr & Oliver Rd	Canadian National Railway	0.053	Asphalt	Composite	2
Northwood Blvd	Canadian National Railway	Galpin	0.023	Asphalt	Composite	2
Northwood Blvd	Galpin	Evergreen Dr	0.077	Asphalt	Composite	2
Northwood Blvd	Evergreen Dr	Crooks Rd	0.153	Asphalt	Composite	2
Northwood Blvd	Woodward Ave	Woodward Business Route	0.062	Concrete	Concrete-Standard	4
Northwood Blvd	Linwood	W Houstonia & Woodland	0.071	Asphalt	Composite	2
Northwood Blvd	W Houstonia & Woodland	Ferncliff	0.063	Asphalt	Composite	3
Northwood Blvd	Ferncliff	Sycamore	0.029	Asphalt	Composite	3
Northwood Blvd	Sycamore	Maplewood	0.043	Asphalt	Composite	2
Northwood Blvd	Clawson	Linwood	0.037	Asphalt	Composite	3
Northwood Blvd	Woodward Business Route	Roseland	0.025	Asphalt	Composite	3
Northwood Blvd	Roseland	Clawson	0.023	Asphalt	Composite	3
Oak	Hendrie Blvd	W 11 Mile Rd	0.08	Asphalt	Composite	10
Oakdale	Dead End or Start	W 4th St	0.053	Concrete	Concrete-Standard	4
Oakdale	W 4th St	W 3rd St	0.088	Concrete	Concrete-Standard	4
Oakdale	W 3rd St	W 11 Mile Rd	0.09	Concrete	Concrete-Standard	4
Oakland	N West	N Lafayette	0.046	Concrete	Concrete-Standard	3
Oakland	N Lafayette	N Washington	0.062	Concrete	Concrete-Standard	3
Oakland	Sherman Dr	Dead End or Start	0.097	Concrete	Concrete-Standard	4
Oakmont St	Hawthorne	Gardenia	0.054	Concrete	Concrete-Standard	3
Oakridge	Catalpa Dr	Lawndale Dr	0.12	Asphalt	Asphalt-Standard	7
Oakridge	Sherman Dr	Dead End or Start	0.012	Undefined	Undefined	3
Oakridge	Sherman Dr	W Farnum	0.033	Concrete	Concrete-Standard	3
Oakridge	W Farnum	Catalpa Dr	0.16	Concrete	Concrete-Standard	5
Oliver Rd	Glenwood Rd	Crooks Rd	0.156	Concrete	Concrete-Standard	4
Oliver Rd	W Webster Rd	Glenview	0.077	Asphalt	Composite	9
Oliver Rd	Glenview	Glenwood Rd	0.096	Concrete	Concrete-Standard	4

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Oliver Rd	W Webster Rd	Dead End or Start	0.061	Concrete	Concrete-Standard	5
Olivia	Normandy Rd	Robinwood	0.103	Asphalt	Composite	8
Olivia	Robinwood	Massoit Rd	0.023	Asphalt	Composite	8
Olivia	Massoit Rd	Nakota	0.126	Asphalt	Composite	8
Olivia	Nakota	Samoset	0.129	Asphalt	Composite	8
Olivia	Samoset	W 14 Mile Rd	0.127	Concrete	Concrete-Standard	4
Orchard Grove Dr	Maxwell	Hilldale	0.124	Concrete	Concrete-Standard	4
Orchard View Dr	N Washington	N Main	0.103	Concrete	Concrete-Standard	4
Orchard View Dr	Columbus	N Washington	0.18	Concrete	Concrete-Standard	4
Orchard View Dr		Columbus	0.196	Concrete	Concrete-Standard	4
Orchard View Dr		Hickory & Ellen	0.022	Concrete	Concrete-Standard	5
Ottawa	Rochester Rd	Ferris	0.202	Concrete	Concrete-Standard	4
Ottawa	Ferris	N Vermont	0.166	Concrete	Concrete-Standard	4
Ottawa	N Vermont	N Campbell Rd	0.168	Concrete	Concrete-Standard	3
Owana	Dead End or Start	Dondero Ave	0.077	Concrete	Concrete-Standard	4
Owana	Dondero Ave	E Hudson	0.216	Concrete	Concrete-Standard	4
Owana	E Hudson	E Lincoln	0.161	Concrete	Concrete-Standard	7
Park	Maxwell	Woodcrest Dr	0.056	Asphalt	Composite	8
Park	Woodcrest Dr	Hilldale Dr	0.056	Asphalt	Composite	8
Park	Hilldale Dr	Dead End or Start	0.013	Asphalt	Composite	6
Park	N Maple	Maxwell	0.082	Asphalt	Composite	9
Park	N Washington	Elm Ct	0.066	Asphalt	Composite	10
Park	Elm Ct	N West	0.061	Asphalt	Composite	10
Park	Attribute Change	N Maple	0.076	Concrete	Concrete-Standard	7
Parkdale	N Vermont	N Connecticut	0.07	Concrete	Concrete-Standard	4
Parkdale	N Connecticut	N Wilson	0.07	Concrete	Concrete-Standard	4
Parkdale	Ardmore	Dead End or Start	0.115	Concrete	Concrete-Standard	5
Parkdale	N Wilson	Campbell Rd	0.068	Concrete	Concrete-Standard	5
Parker Dr	Coolidge Hwy	Woodward Ave	0.175	Concrete	Concrete-Standard	3
Parker Dr	Webster Rd	Coolidge Hwy	0.225	Concrete	Concrete-Standard	3
Parker Dr	Webster Rd	Coolidge Hwy	0.012	Concrete	Concrete-Standard	3
Parkview Dr	Sheffield Rd & Parkway Dr	Hillside Dr	0.181	Concrete	Concrete-Standard	3
Parkway Dr	Arden Pl	Woodward Ave	0.061	Concrete	Concrete-Standard	4
Parkway Dr	Springer	Colonial Dr	0.053	Concrete	Concrete-Standard	6
Parkway Dr	Colonial Dr	Amherst Rd	0.052	Concrete	Concrete-Standard	4
Parkway Dr	Parkview Dr & Sheffield Rd	Normandy Rd & Seminole Dr	0.071	Concrete	Concrete-Standard	4
Parkway Dr	Highfield Rd	Auburn Dr	0.056	Concrete	Concrete-Standard	6
Parkway Dr	Normandy Rd & Seminole Dr	Arlington Dr	0.064	Concrete	Concrete-Standard	5

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Parkway Dr	Arlington Dr	Arden Pl	0.058	Concrete	Concrete-Standard	3
Parkway Dr	Auburn Dr	Parkview Dr & Sheffield Rd	0.062	Concrete	Concrete-Standard	4
Parmenter Blvd	Briarwood	Mansfield	0.058	Concrete	Concrete-Standard	6
Parmenter Blvd	Mansfield	Elmhurst	0.056	Concrete	Concrete-Standard	5
Parmenter Blvd	Elmhurst	Thorncroft	0.056	Concrete	Concrete-Standard	5
Parmenter Blvd	Thorncroft	Woodland	0.06	Concrete	Concrete-Standard	5
Parmenter Blvd	Cara Ct	Sedgemoor	0.026	Concrete	Concrete-Standard	5
Parmenter Blvd	Sedgemoor	Crooks Rd	0.109	Concrete	Concrete-Standard	6
Parmenter Blvd	Leafdale	Briarwood	0.064	Concrete	Concrete-Standard	4
Parmenter Blvd	Fernlee	Delemere Blvd	0.063	Concrete	Concrete-Standard	4
Parmenter Blvd	Delemere Blvd	Leafdale	0.064	Concrete	Concrete-Standard	4
Parmenter Blvd	Woodland	Coventry Rd	0.054	Concrete	Concrete-Standard	6
Parmenter Blvd	Coventry Rd	Cara Ct	0.066	Concrete	Concrete-Standard	6
Phillips Pl	E 4th St	E 3rd St	0.048	Asphalt	Composite	6
Phillips Pl	E 3rd St	E 11 Mile Rd	0.124	Asphalt	Composite	5
Pinehurst	Crooks Rd	Cedar Dr	0.028	Concrete	Concrete-Standard	4
Pinehurst	Cedar Dr	Vinsetta Blvd	0.16	Concrete	Concrete-Standard	4
Pinehurst	Vinsetta Blvd	Vinsetta Blvd	0.016	Concrete	Concrete-Standard	3
Pingree Blvd	N Main	N Troy	0.12	Asphalt	Composite	4
Pingree Blvd	N Troy	Virginia	0.07	Asphalt	Composite	4
Pingree Blvd	Virginia	Fairgrove	0.062	Asphalt	Composite	3
Poplar	Sylvan Dr	Dead End or Start	0.05	Concrete	Concrete-Standard	4
Poplar	Marion Dr	Columbus	0.078	Concrete	Concrete-Standard	3
Poplar	Columbus	W Bloomfield	0.159	Concrete	Concrete-Standard	2
Poplar	Marais	Sylvan Dr	0.067	Concrete	Concrete-Standard	4
Poplar	Crooks Rd	Evergreen Dr	0.136	Concrete	Concrete-Standard	4
Poplar	Evergreen Dr	Dead End or Start	0.118	Concrete	Concrete-Standard	4
Potawatomi Blvd	Marywood Dr	N Main	0.24	Concrete	Concrete-Standard	4
Potter	E 11 Mile Rd	Stanley Ct	0.073	Concrete	Concrete-Standard	5
Potter	Stanley Ct	Chambers	0.007	Concrete	Concrete-Standard	6
Potter	Chambers	E University	0.044	Concrete	Concrete-Standard	6
Potter	E University	Saint Charles Ct	0.046	Concrete	Concrete-Standard	6
Potter	Saint Charles Ct	Frederick	0.045	Concrete	Concrete-Standard	6
Potter	Frederick	E Farnum	0.071	Concrete	Concrete-Standard	4
Prairie	Thomas & Webster Rd	Albert	0.164	Concrete	Concrete-Standard	3
Prairie	Albert	Judson	0.165	Concrete	Concrete-Standard	3
Prairie	Judson	W 13 Mile Rd	0.172	Concrete	Concrete-Standard	4
Ravena	Pavement Change	Hampton Blvd	0.079	Concrete	Concrete-Standard	6

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Ravena	Woodward Ave	Pavement Change	0.045	Asphalt	Composite	8
Ravena	Woodward Ave	Chester Rd	0.17	Asphalt	Composite	3
Ravena	Chester Rd	Attribute Change	0.069	Concrete	Concrete-Standard	3
Ravena	Hampton Blvd	Mandalay	0.152	Concrete	Concrete-Standard	4
Red Run Ct	Parkdale	Dead End or Start	0.047	Asphalt	Asphalt-Standard	3
Red Run Dr	N Connecticut	N Wilson	0.068	Concrete	Concrete-Standard	6
Red Run Dr	N Wilson	Campbell Rd	0.07	Concrete	Concrete-Standard	6
Rhode Island	S Main	Delaware	0.105	Asphalt	Composite	4
Rhode Island	Delaware	Delaware	0.021	Asphalt	Composite	6
Rhode Island	Delaware	California	0.112	Asphalt	Composite	5
Rhode Island	California	McGill Dr	0.017	Asphalt	Composite	3
Robinwood	Olivia	Massoit Rd	0.024	Asphalt	Composite	8
Robinwood	Nakota	Samoset	0.132	Asphalt	Composite	8
Robinwood	Samoset	W 14 Mile Rd	0.132	Asphalt	Composite	8
Robinwood	Groveland	Nakota	0.058	Concrete	Concrete-Standard	6
Robinwood	Massoit Rd	Groveland	0.088	Concrete	Concrete-Standard	8
Rockingham Rd	Woodward Ave	Pavement Change	0.034	Asphalt	Composite	4
Rockingham Rd	Pavement Change	Kensington Dr	0.113	Concrete	Concrete-Standard	3
Rosedale	Baldwin	Forest	0.071	Concrete	Concrete-Standard	6
Rosedale	Forest	Hawthorne	0.065	Concrete	Concrete-Standard	5
Rosedale	E Farnum	Baldwin	0.069	Concrete	Concrete-Standard	6
Roseland	Northwood Blvd	Maplewood	0.223	Asphalt	Composite	9
Roseland	Maplewood	Evergreen Dr	0.267	Asphalt	Composite	9
Rosewold	Normandy Rd	Massoit Rd	0.13	Concrete	Concrete-Standard	8
Rosewold	Nakota	Samoset	0.128	Concrete	Concrete-Standard	5
Rosewold	Samoset	W 14 Mile Rd	0.129	Asphalt	Composite	2
Roszel	N Campbell Rd	Dead End or Start	0.136	Concrete	Concrete-Standard	2
Rowland	S Campbell Rd	Helene	0.335	Concrete	Concrete-Standard	4
Rowland	Helene	Lenox Ave	0.16	Concrete	Concrete-Standard	5
Royal	pavement change	Columbus	0.203	Asphalt	Composite	8
Royal	Columbus	N Main	0.286	Asphalt	Composite	8
Royal	Crooks Rd	Evergreen Dr	0.048	Concrete	Concrete-Standard	3
Royal	Marais	pavement change	0.04	Concrete	Concrete-Standard	6
Royal	Evergreen Dr	Cedar Dr	0.154	Concrete	Concrete-Standard	4
Royal	Cedar Dr	Marais	0.163	Concrete	Concrete-Standard	4
S Alexander	E 6th St	E 5th St	0.066	Asphalt	Composite	3
S Alexander	E Lincoln	E 6th St	0.17	Asphalt	Asphalt-Standard	4
S Alexander	E 5th St	E 4th St	0.047	Concrete	Concrete-Standard	5

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
S Alexander	E 4th St	E 3rd St	0.057	Concrete	Concrete-Standard	5
S Alexander	E 3rd St	E 2nd St	0.057	Concrete	Concrete-Standard	5
S Alexander	E 2nd St	E 11 Mile Rd	0.059	Concrete	Concrete-Standard	5
S Altadena	E Lincoln	E 6th St	0.173	Asphalt	Composite	3
S Altadena	E 6th St	E 5th St	0.064	Concrete	Concrete-Standard	6
S Blair	E 4th St	E 4th St	0.015	Asphalt	Composite	3
S Blair	E 4th St	E 3rd St	0.062	Asphalt	Composite	3
S Blair	E Lincoln	E 6th St	0.12	Asphalt	Asphalt-Standard	2
S Blair	E 3rd St	E 2nd St	0.061	Asphalt	Composite	3
S Blair	E 6th St	E 5th St	0.066	Asphalt	Asphalt-Standard	2
S Blair	E 5th St	E 4th St	0.047	Asphalt	Composite	2
S Blair	E 2nd St	E 11 Mile Rd & N Blair	0.061	Asphalt	Composite	3
S Center	W Hudson	W Lincoln	0.124	Asphalt	Composite	4
S Connecticut	E 5th St	E 4th St	0.047	Asphalt	Composite	5
S Connecticut	E 4th St	E 4th St	0.015	Asphalt	Composite	5
S Connecticut	E 4th St	E 3rd St	0.104	Asphalt	Composite	5
S Connecticut	E 3rd St	N Connecticut & E 11 Mile Rd	0.084	Asphalt	Composite	5
S Connecticut	E Lincoln	E 6th St	0.184	Asphalt	Composite	9
S Connecticut	E 6th St	E 5th St	0.066	Asphalt	Composite	9
S Dorchester	E 4th St	E 4th St	0.017	Asphalt	Composite	4
S Dorchester	E Lincoln	E 6th St	0.163	Concrete	Concrete-Standard	4
S Dorchester	E 6th St	E 4th St	0.138	Concrete	Concrete-Standard	3
S Dorchester	E 4th St	E 11 Mile Rd	0.192	Concrete	Concrete-Standard	4
S Edgeworth	E 4th St	N Edgeworth & E 11 Mile Rd	0.192	Concrete	Concrete-Standard	4
S Edgeworth	E 6th St	E 4th St	0.138	Concrete	Concrete-Standard	4
S Edgeworth	E Lincoln	E 6th St	0.163	Concrete	Concrete-Standard	3
S Edison	E 4th St	E 4th St	0.017	Asphalt	Composite	4
S Edison	E 4th St	Dead End or Start	0.064	Concrete	Concrete-Standard	4
S Edison	E Lincoln	E 6th St	0.162	Asphalt	Asphalt-Standard	3
S Edison	E 6th St	E 4th St	0.139	Asphalt	Asphalt-Standard	3
S Fulton Pl	S Verona Cir	N Fulton Pl & Normandy Rd	0.196	Concrete	Concrete-Standard	6
S Gainsborough	E 4th St	E 3rd St	0.059	Asphalt	Composite	5
S Gainsborough	E 3rd St	E 2nd St	0.061	Asphalt	Composite	5
S Gainsborough	E 2nd St	N Gainsborough & E 11 Mile Rd	0.06	Asphalt	Composite	5
S Gainsborough	E 5th St	E 4th St	0.048	Asphalt	Composite	3
S Gainsborough	E Lincoln	E 6th St	0.174	Asphalt	Composite	4
S Gainsborough	E 6th St	E 5th St	0.065	Concrete	Concrete-Standard	5
S Gainsborough	E 4th St	E 3rd St	0.059	Asphalt	Composite	5

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
S Gainsborough	E 3rd St	E 2nd St	0.061	Asphalt	Composite	5
S Gainsborough	E 2nd St	N Gainsborough & E 11 Mile Rd	0.06	Asphalt	Composite	5
S Gainsborough	E 4th St	E 4th St	0.015	Asphalt	Composite	4
S Kenwood	E 4th St	N Kenwood & E 11 Mile Rd	0.193	Concrete	Concrete-Standard	4
S Kenwood	E 4th St	E 4th St	0.015	Asphalt	Composite	3
S Kenwood	E Lincoln	E 6th St	0.163	Concrete	Concrete-Standard	4
S Kenwood	E 6th St	E 4th St	0.139	Concrete	Concrete-Standard	3
S Kenwood	Barrett	Dallas	0.048	Concrete	Concrete-Standard	4
S Kenwood	Kalama	Harwood	0.05	Concrete	Concrete-Standard	4
S Kenwood	Harwood	E Lincoln	0.051	Concrete	Concrete-Standard	5
S Kenwood	Dallas	Brockton	0.049	Concrete	Concrete-Standard	5
S Kenwood	Brockton	E Hudson	0.048	Concrete	Concrete-Standard	5
S Kenwood	E Hudson	Kalama	0.05	Concrete	Concrete-Standard	5
S Laurel	W Lincoln	W 7th St	0.104	Asphalt	Composite	6
S Laurel	W 7th St	W 6th St	0.059	Asphalt	Composite	6
S Laurel	W 6th St	W 4th St	0.116	Asphalt	Composite	5
S Laurel	W 4th St	W 3rd St	0.088	Asphalt	Composite	5
S Laurel	W 3rd St	W 11 Mile Rd	0.09	Asphalt	Composite	6
S Maple	W 4th St	W 3rd St	0.089	Concrete	Concrete-Standard	4
S Maple	W 3rd St	W 11 Mile Rd & N Maple	0.089	Concrete	Concrete-Standard	4
S Maple	W 4th St	Dead End or Start	0.052	Asphalt	Composite	5
S Minerva	E 4th St	E 4th St	0.016	Asphalt	Composite	4
S Minerva	E Lincoln	E 6th St	0.163	Concrete	Concrete-Standard	2
S Minerva	E 6th St	E 4th St	0.138	Concrete	Concrete-Standard	2
S Minerva	E 4th St	E 11 Mile Rd & N Minerva	0.192	Concrete	Concrete-Standard	2
S Pleasant	W Lincoln	W 7th St	0.109	Asphalt	Composite	4
S Pleasant	W 7th St	W 6th St	0.057	Asphalt	Composite	4
S Pleasant	W 6th St	W 4th St	0.117	Asphalt	Composite	3
S Pleasant	W 3rd St	W 11 Mile Rd	0.09	Asphalt	Composite	2
S Pleasant	W 4th St	W 3rd St	0.087	Asphalt	Composite	2
S Rembrandt	E 6th St	E 5th St	0.067	Asphalt	Asphalt-Standard	5
S Rembrandt	E Lincoln	E 6th St	0.177	Asphalt	Composite	4
S Vermont	E 3rd St	E 2nd St	0.02	Concrete	Concrete-Standard	4
S Vermont	E 2nd St	E 11 Mile Rd & N Vermont	0.063	Concrete	Concrete-Standard	5
S Vermont	E 5th St	E 4th St	0.047	Concrete	Concrete-Standard	4
S Vermont	E 4th St	E 3rd St	0.063	Concrete	Concrete-Standard	5
S Vermont	E 3rd St	E 3rd St	0.041	Concrete	Concrete-Standard	4
S Vermont	E 6th St	E 5th St	0.065	Concrete	Concrete-Standard	6

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
S Vermont	E Lincoln	7th St	0.056	Asphalt	Asphalt-Standard	2
S Vermont	7th St	E 6th St	0.127	Asphalt	Asphalt-Standard	2
S Verona Cir	Verona Cir & Greenfield Rd	Fairmont Rd	0.09	Concrete	Concrete-Standard	5
S Verona Cir	Fairmont Rd	S Fulton Pl	0.01	Concrete	Concrete-Standard	4
S Verona Cir	S Fulton Pl	N Verona Cir & Normandy Rd	0.064	Concrete	Concrete-Standard	5
S Wilson	E 10 Mile Rd	E Hudson	0.301	Concrete	Concrete-Standard	4
S Wilson	E 4th St	E 3rd St	0.108	Asphalt	Composite	4
S Wilson	E 4th St	E 4th St	0.015	Asphalt	Composite	4
S Wilson	E 3rd St	E 11 Mile Rd & N Wilson	0.082	Asphalt	Composite	3
S Wilson	E 4th St	E 3rd St	0.108	Asphalt	Composite	4
S Wilson	E Hudson	E Lincoln	0.156	Concrete	Concrete-Standard	4
S Wilson	E 6th St	E 5th St	0.065	Asphalt	Composite	2
S Wilson	E 5th St	E 4th St	0.047	Asphalt	Composite	3
S Wilson	E Lincoln	E 6th St	0.188	Asphalt	Composite	2
Sagamore Blvd	Woodward Ave	Dead End or Start	0.07	Concrete	Concrete-Standard	4
Saint Charles Ct	Curry	Potter	0.126	Concrete	Concrete-Standard	6
Samoset	Mankato	Mandalay	0.062	Concrete	Concrete-Standard	8
Samoset	Pavement Change	Thorncroft	0.03	Asphalt	Composite	8
Samoset	Thorncroft	Woodland	0.064	Asphalt	Composite	8
Samoset	Woodland	Rosewold	0.063	Asphalt	Composite	8
Samoset	Rosewold	Sedgemoor	0.062	Asphalt	Composite	8
Samoset	Sedgemoor	Hillcrest	0.065	Asphalt	Composite	8
Samoset	Hillcrest	Crooks Rd	0.067	Asphalt	Composite	8
Samoset	Hampton Blvd	Mankato	0.062	Concrete	Concrete-Standard	8
Samoset	Elmwood	Robinwood	0.061	Concrete	Concrete-Standard	7
Samoset	Mandalay	Coolidge Rd	0.061	Concrete	Concrete-Standard	2
Samoset	Briarwood	Elmhurst	0.067	Concrete	Concrete-Standard	4
Samoset	Dead End or Start	Fernlee	0.072	Concrete	Concrete-Standard	7
Samoset	Fernlee	Delemere Blvd	0.069	Concrete	Concrete-Standard	4
Samoset	Delemere Blvd	Leafdale	0.068	Concrete	Concrete-Standard	4
Samoset	Woodward Ave	Cooper	0.164	Asphalt	Composite	2
Samoset	Groveland	Olivia	0.051	Concrete	Concrete-Standard	4
Samoset	Olivia	Tonawanda	0.057	Concrete	Concrete-Standard	4
Samoset	Greenfield Rd & Birwood	Woodward Ave	0.3	Concrete	Concrete-Standard	3
Samoset	Tonawanda	Hampton Blvd	0.063	Concrete	Concrete-Standard	6
Samoset	Leafdale	Briarwood	0.063	Concrete	Concrete-Standard	4
Samoset	Elmhurst	Pavement Change	0.037	Concrete	Concrete-Standard	4
Samoset	Mandalay	Coolidge Rd	0.012	Concrete	Concrete-Standard	2

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Sedgemoor	Samoset	W 14 Mile Rd	0.13	Asphalt	Composite	8
Sedgemoor	Nakota	Samoset	0.127	Asphalt	Composite	9
Sedgemoor	W 14 Mile Rd	Parmenter Blvd	0.123	Concrete	Concrete-Standard	4
Seminole Dr	Grandview Rd	Sheffield Rd	0.114	Concrete	Concrete-Standard	4
Seminole Dr	Sheffield Rd	Normandy Rd & Parkway Dr	0.061	Concrete	Concrete-Standard	4
Seminole Dr	Wrenford Rd	Grandview Rd	0.117	Concrete	Concrete-Standard	4
Seminole Dr	Greenfield Rd & Auburn	Wrenford Rd	0.111	Concrete	Concrete-Standard	6
7th St	S Blair	S Vermont	0.065	Concrete	Concrete-Standard	6
Shaw St	Benjamin	Clawson	0.064	Concrete	Concrete-Standard	3
Shaw St	Shenandoah Dr	Benjamin	0.063	Concrete	Concrete-Standard	4
Sheffield Rd	Fairmont Rd	Auburn Dr	0.093	Concrete	Concrete-Standard	4
Sheffield Rd	Parkview Dr & Parkway Dr	Normandy Rd	0.059	Concrete	Concrete-Standard	5
Sheffield Rd	Normandy Rd	Seminole Dr	0.05	Concrete	Concrete-Standard	4
Sheffield Rd	Auburn Dr	Parkview Dr & Parkway Dr	0.085	Concrete	Concrete-Standard	5
Sheffield Rd	Amherst Rd	Fairmont Rd	0.09	Concrete	Concrete-Standard	4
Shenandoah Dr	Glenwood Rd	Trafford Rd	0.059	Concrete	Concrete-Standard	6
Shenandoah Dr	Trafford Rd	Essex Rd	0.059	Concrete	Concrete-Standard	5
Shenandoah Dr	Carman	W Webster Rd	0.103	Concrete	Concrete-Standard	2
Shenandoah Dr	W Webster Rd	Aberdovey Dr	0.061	Concrete	Concrete-Standard	6
Shenandoah Dr	Essex Rd	W 13 Mile Rd	0.143	Concrete	Concrete-Standard	4
Shenandoah Dr	Aberdovey Dr	Eton Cross Rd	0.113	Concrete	Concrete-Standard	5
Shenandoah Dr	Eton Cross Rd	Shaw St	0.058	Concrete	Concrete-Standard	4
Shenandoah Dr	Shaw St	Glenwood Rd	0.013	Concrete	Concrete-Standard	5
Sheridan Dr	Greenfield Rd	Wrenford Rd	0.138	Concrete	Concrete-Standard	3
Sheridan Dr	Arden Pl	Grandview Rd	0.018	Asphalt	Composite	4
Sheridan Dr		Arden Pl & Grandview Rd	0.064	Asphalt	Composite	4
Sheridan Dr	Wrenford Rd		0.104	Concrete	Concrete-Standard	3
Sheridan Dr		Arden Pl	0.068	Concrete	Concrete-Standard	3
Sherman Dr	W 11 Mile	Forestdale Rd	0.191	Asphalt	Asphalt-Standard	9
Simon Ct	E Farnum	Dead End or Start	0.046	Concrete	Concrete-Standard	5
Smith	Evergreen Dr	Crooks Rd	0.207	Asphalt	Composite	5
Sprague	N Minerva	N Stephenson Hwy	0.088	Concrete	Concrete-Standard	3
Springer	Yorba Linda Blvd	Parkway Dr	0.174	Concrete	Concrete-Standard	7
Springer			0.056	Concrete	Concrete-Standard	5
Springer	Greenfield Rd	Yorba Linda Blvd	0.111	Concrete	Concrete-Standard	7
Springer		Hillside Dr	0.014	Concrete	Concrete-Standard	5
Springer	Parkway Dr		0.056	Concrete	Concrete-Standard	7
Springer		Dead End or Start	0.042	Concrete	Concrete-Standard	4

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Stanley Ct	Potter	Dead End or Start	0.06	Concrete	Concrete-Standard	6
Starr Rd	Coolidge Rd	Edgar	0.056	Asphalt	Composite	4
Starr Rd	Edgar	Mark Orr Rd	0.093	Concrete	Concrete-Standard	4
Starr Rd	Mark Orr Rd	Greenway	0.067	Concrete	Concrete-Standard	4
Starr Rd	Hampton Blvd	Pavement Change	0.061	Asphalt	Composite	2
Starr Rd	Woodward Ave	Hampton Blvd	0.066	Asphalt	Composite	4
Starr Rd	Kent Ct	Pavement Change	0.04	Asphalt	Composite	4
Starr Rd	Pavement Change	Kent Ct	0.024	Asphalt	Composite	4
Starr Rd	Kent Ct	Pavement Change	0.04	Asphalt	Composite	4
Starr Rd	Pavement Change	Mandalay	0.034	Concrete	Concrete-Standard	4
Starr Rd	Benjamin	Pavement Change	0.043	Concrete	Concrete-Standard	4
Starr Rd	Elmhurst	Linwood	0.035	Concrete	Concrete-Standard	4
Starr Rd	Pavement Change	W 13 Mile Rd & Elmhurst	0.079	Concrete	Concrete-Standard	4
Starr Rd	Woodland	W 13 Mile Rd	0.038	Concrete	Concrete-Standard	5
Starr Rd	Mandalay	Coolidge Rd	0.03	Concrete	Concrete-Standard	4
Starr Rd	Linwood	Woodland	0.07	Concrete	Concrete-Standard	4
Starr Rd	Mandalay	Coolidge Rd	0.011	Concrete	Concrete-Standard	4
Sunset Blvd	Greenleaf Dr & Woodward Ave	Woodsboro Dr	0.099	Asphalt	Composite	2
Sunset Blvd	Cedar Hill Dr	W 12 Mile Rd	0.106	Asphalt	Composite	2
Sunset Blvd	Woodsboro Dr	Cedar Hill Dr	0.087	Asphalt	Composite	2
Sycamore	Northwood Blvd	Maplewood	0.035	Asphalt	Composite	8
Sycamore	Maplewood	Bonnie View Dr	0.243	Asphalt	Composite	4
Sylvan Dr	Butternut	Sylvan Ct	0.046	Concrete	Concrete-Standard	6
Sylvan Dr	Sylvan Ct	Poplar	0.144	Concrete	Concrete-Standard	5
Sylvan Dr	Poplar	W 13 Mile Rd	0.097	Concrete	Concrete-Standard	4
Symes	E Farnum	Forest	0.142	Concrete	Concrete-Standard	4
Symes	Forest	Gardenia & Symes Ct	0.131	Concrete	Concrete-Standard	4
Symes Ct	Gardenia & Symes	Dead End or Start	0.12	Asphalt	Composite	8
Taylor	N Campbell Rd	Dead End or Start	0.135	Concrete	Concrete-Standard	3
Thorncroft	Nakota	Samoset	0.128	Asphalt	Composite	8
Thorncroft	Samoset	W 14 Mile Rd	0.13	Asphalt	Composite	8
Thorncroft	Parmenter Blvd	Torquay	0.224	Concrete	Concrete-Standard	4
Thorncroft	Torquay	Dead End or Start	0.074	Concrete	Concrete-Standard	3
Tonawanda	Nakota	Samoset	0.128	Asphalt	Composite	8
Tonawanda	Pavement Change	Nakota	0.083	Asphalt	Composite	7
Tonawanda	Normandy Rd	Massoit Rd	0.127	Concrete	Concrete-Standard	4
Tonawanda	Massoit Rd	Pavement Change	0.042	Concrete	Concrete-Standard	4
Tonawanda	Samoset	W 14 Mile Rd	0.128	Asphalt	Composite	4

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Torquay	Pavement Change	Coventry Rd	0.065	Asphalt	Composite	7
Torquay	Coventry Rd	Pavement change	0.052	Asphalt	Composite	8
Torquay	Delemere Blvd & Delemere	Dead End or Start	0.027	Concrete	Concrete-Standard	6
Torquay	Pavement change	Shenandoah & Crooks Rd	0.082	Concrete	Concrete-Standard	7
Torquay	Delemere Blvd & Delemere	Leafdale	0.114	Concrete	Concrete-Standard	5
Torquay	Leafdale	Mansfield	0.111	Concrete	Concrete-Standard	6
Torquay	Mansfield	Elmhurst	0.111	Concrete	Concrete-Standard	6
Torquay	Elmhurst	Thorncroft	0.055	Concrete	Concrete-Standard	4
Torquay	Thorncroft	Pavement Change	0.03	Concrete	Concrete-Standard	4
Trafford Rd	Coolidge Hwy	Woodward Ave	0.186	Asphalt	Composite	8
Trafford Rd	Woodward Ave	Woodward Business Route	0.032	Concrete	Concrete-Standard	6
Trafford Rd	Eton Cross Rd	Shenandoah Dr	0.17	Concrete	Concrete-Standard	6
Trafford Rd	Woodward Business Route	Eton Cross Rd	0.123	Concrete	Concrete-Standard	6
Tufts	Wellesley	S Stephenson Hwy	0.09	Asphalt	Asphalt-Standard	4
Upton Ave	N Pleasant	Edgewood Dr	0.049	Concrete	Concrete-Standard	5
Upton Ave	Edgewood Dr	Marywood Dr	0.062	Concrete	Concrete-Standard	3
Vinsetta Blvd	Marywood Dr	N Washington	0.151	Concrete	Concrete-Standard	5
Vinsetta Blvd	Marywood Dr	N Washington	0.147	Concrete	Concrete-Standard	5
Vinsetta Blvd	N Washington	N Main	0.095	Concrete	Concrete-Standard	5
Vinsetta Blvd	N Washington	N Main	0.095	Concrete	Concrete-Standard	5
Vinsetta Blvd	W 12 Mile Rd		0.071	Asphalt	Composite	4
Vinsetta Blvd		W Houstonia	0.121	Asphalt	Composite	3
Vinsetta Blvd	W Houstonia	Lloyd	0.12	Asphalt	Composite	4
Vinsetta Blvd	Lloyd	Crooks Rd	0.076	Asphalt	Composite	4
Vinsetta Blvd	Woodward Ave	Lawndale Dr	0.152	Asphalt	Composite	5
Vinsetta Blvd	Woodward Ave & Catalpa Dr	Lawndale Dr	0.157	Asphalt	Composite	4
Vinsetta Blvd	W 12 Mile Rd	Canadian National Railway	0.062	Asphalt	Composite	4
Vinsetta Blvd	Canadian National Railway		0.108	Asphalt	Composite	4
Vinsetta Blvd		Laurome Dr	0.051	Asphalt	Composite	3
Vinsetta Blvd	Laurome Dr	W Houstonia	0.057	Asphalt	Composite	3
Vinsetta Blvd	W Houstonia	Lloyd	0.12	Asphalt	Composite	4
Vinsetta Blvd	Lloyd	Murdock	0.072	Asphalt	Composite	3
Vinsetta Blvd	Murdock	Crooks Rd	0.015	Asphalt	Composite	3
Vinsetta Blvd	Mayfield Dr	Greenleaf Dr	0.014	Asphalt	Asphalt-Standard	4
Vinsetta Blvd	Greenleaf Dr	Woodsboro Dr	0.017	Asphalt	Composite	4
Vinsetta Blvd	Woodsboro Dr	Cedar Hill Dr	0.059	Asphalt	Asphalt-Standard	4
Vinsetta Blvd	Cedar Hill Dr	Canadian National Railway	0.135	Asphalt	Composite	3
Vinsetta Blvd	Canadian National Railway	W 12 Mile Rd	0.015	Asphalt	Asphalt-Standard	4

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Vinsetta Blvd	Lawndale Dr	Fairlawn Rd	0.151	Asphalt	Composite	4
Vinsetta Blvd	Fairlawn Rd	Greenleaf Dr	0.135	Asphalt	Composite	4
Vinsetta Blvd	Greenleaf Dr	Woodsboro Dr	0.036	Asphalt	Composite	4
Vinsetta Blvd	Woodsboro Dr	Cedar Hill Dr	0.061	Concrete	Concrete-Standard	4
Vinsetta Blvd	Cedar Hill Dr	W 12 Mile Rd	0.032	Asphalt	Composite	3
Vinsetta Blvd			0.015	Asphalt	Composite	4
Vinsetta Blvd	Lawndale Dr	Mayfield Dr	0.011	Asphalt	Composite	3
Vinsetta Blvd	Mayfield Dr	Greenleaf Dr	0.014	Asphalt	Asphalt-Standard	4
Vinsetta Blvd	Greenleaf Dr	Woodsboro Dr	0.017	Asphalt	Composite	4
Vinsetta Blvd	Woodsboro Dr	Cedar Hill Dr	0.059	Asphalt	Asphalt-Standard	4
Vinsetta Blvd	Cedar Hill Dr	Canadian National Railway	0.135	Asphalt	Composite	3
Vinsetta Blvd	Canadian National Railway	W 12 Mile Rd	0.015	Asphalt	Asphalt-Standard	4
Vinsetta Blvd	Lawndale Dr	Fairlawn Rd	0.151	Asphalt	Composite	4
Vinsetta Blvd	Fairlawn Rd	Greenleaf Dr	0.135	Asphalt	Composite	4
Vinsetta Blvd	Greenleaf Dr	Woodsboro Dr	0.036	Asphalt	Composite	4
Vinsetta Blvd	Woodsboro Dr	Cedar Hill Dr	0.061	Concrete	Concrete-Standard	4
Vinsetta Blvd	Cedar Hill Dr	W 12 Mile Rd	0.032	Asphalt	Composite	3
Vinsetta Blvd	Crooks Rd	pavement change	0.025	Asphalt	Asphalt-Standard	3
Vinsetta Blvd	Crooks Rd	pavement change	0.021	Asphalt	Asphalt-Standard	3
Vinsetta Blvd	Pinehurst	Beechwood Dr	0.148	Concrete	Concrete-Standard	3
Vinsetta Blvd	Beechwood Dr	Marywood Dr	0.146	Concrete	Concrete-Standard	4
Vinsetta Blvd	Beechwood Dr	Marywood Dr	0.148	Concrete	Concrete-Standard	4
Vinsetta Blvd	pavement change	Magnolia	0.056	Concrete	Concrete-Standard	4
Vinsetta Blvd	Magnolia	Pinehurst	0.081	Concrete	Concrete-Standard	3
Vinsetta Blvd	pavement change	Magnolia	0.047	Concrete	Concrete-Standard	4
Vinsetta Blvd	Magnolia	Pinehurst	0.087	Concrete	Concrete-Standard	3
Vinsetta Blvd	Pinehurst	Marais	0.007	Concrete	Concrete-Standard	4
Vinsetta Blvd	Marais	Beechwood Dr	0.16	Concrete	Concrete-Standard	4
Vinton Rd	Woodward Ave	Fairlawn Rd	0.168	Concrete	Concrete-Standard	8
Virginia	Dead End or Start	E University	0.053	Asphalt	Asphalt-Standard	3
Virginia	E University	E University	0.024	Asphalt	Asphalt-Standard	3
Virginia	E University	Pingree Blvd	0.081	Asphalt	Asphalt-Standard	3
W 3rd St	S Pleasant	S Laurel	0.058	Concrete	Concrete-Standard	6
W 3rd St	S Laurel	S West	0.053	Concrete	Concrete-Standard	5
W 3rd St	S Maple	S Pleasant	0.053	Concrete	Concrete-Standard	6
W 5th St	S Lafayette	Vacated Road	0.034	Concrete	Concrete-Standard	
W 6th St	Hendrie Blvd	S Pleasant	0.068	Concrete	Concrete-Standard	6
W 6th St	S Laurel	S West	0.054	Concrete	Concrete-Standard	5

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
W 6th St	Woodward Ave	Hendrie Blvd	0.1	Concrete	Concrete-Standard	5
W 6th St	West	Lafayette	0.06	Asphalt	Composite	4
W 6th St	S Pleasant	S Laurel	0.055	Asphalt	Asphalt-Standard	3
W 7th St	S Pleasant	S Laurel	0.057	Concrete	Concrete-Standard	6
W 7th St	S Laurel	S West	0.055	Concrete	Concrete-Standard	6
W Bloomfield	Columbus	Poplar	0.13	Concrete	Concrete-Standard	3
W Bloomfield	Poplar	N Main	0.16	Concrete	Concrete-Standard	4
W Derby Ave	N Center	Crooks Rd	0.027	Concrete	Concrete-Standard	5
W Derby Ave	Marywood Dr	N Lafayette	0.058	Concrete	Concrete-Standard	5
W Derby Ave	N Lafayette	N Washington	0.065	Concrete	Concrete-Standard	4
W Derby Ave	N Washington	N Center	0.057	Concrete	Concrete-Standard	5
W Derby Ave	Maxwell	N Maple	0.057	Concrete	Concrete-Standard	5
W Derby Ave	N Maple	N Pleasant	0.063	Concrete	Concrete-Standard	5
W Derby Ave	N Pleasant	Edgewood Dr	0.058	Concrete	Concrete-Standard	4
W Derby Ave	Edgewood Dr	Marywood Dr	0.061	Concrete	Concrete-Standard	6
W Farnum	N Washington	N Center	0.06	Asphalt	Asphalt-Standard	8
W Farnum	N Center	N Main	0.061	Asphalt	Asphalt-Standard	8
W Farnum	Maxwell	N Maple	0.08	Asphalt	Asphalt-Standard	8
W Farnum	Oakridge	Maplegrove	0.073	Concrete	Concrete-Standard	3
W Farnum	Maplegrove	Forestdale Rd	0.035	Concrete	Concrete-Standard	4
W Farnum	N Maple	Canadian National Railway	0.064	Asphalt	Asphalt-Standard	10
W Farnum	Canadian National Railway	N West	0.097	Asphalt	Asphalt-Standard	10
W Farnum	Catalpa Dr	Oakridge	0.174	Concrete	Concrete-Standard	3
W Farnum	Fernwood Rd	Lockwood Rd	0.056	Concrete	Concrete-Standard	4
W Farnum	Forestdale Rd	Forestdale Rd	0.029	Concrete	Concrete-Standard	4
W Farnum	Forestdale Rd	Fernwood Rd	0.056	Concrete	Concrete-Standard	4
W Farnum	Lockwood Rd	Hilldale Dr	0.054	Concrete	Concrete-Standard	5
W Farnum	Hilldale Dr	Woodcrest Dr	0.054	Concrete	Concrete-Standard	5
W Farnum	Woodcrest Dr	Maxwell	0.056	Concrete	Concrete-Standard	5
W Harrison	S Washington	S Main	0.119	Asphalt	Composite	4
W Harrison	York	E M 1 Service Drive	0.059	Concrete	Concrete-Standard	4
W Harrison	S Lafayette	S Washington	0.098	Concrete	Concrete-Standard	7
W Harrison	Woodward Ave	S Lafayette	0.114	Concrete	Concrete-Standard	8
W Harrison	Dundee	York	0.064	Concrete	Concrete-Standard	7
W Houstonia	Alicia Ln	Laurome Dr	0.092	Concrete	Concrete-Standard	5
W Houstonia	N Washington	N Main	0.121	Concrete	Concrete-Standard	2
W Houstonia	Beechwood Dr	Marywood Dr	0.139	Concrete	Concrete-Standard	3
W Houstonia	Marywood Dr	N Washington	0.118	Concrete	Concrete-Standard	4

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
W Houstonia	Vinsetta Blvd	Vinsetta Blvd	0.011	Asphalt	Composite	4
W Houstonia	Woodland & Northwood Blvd	Maplewood	0.115	Asphalt	Composite	4
W Houstonia	Maplewood	Evergreen Dr & Bonnie View Dr	0.268	Asphalt	Composite	4
W Houstonia	Vinsetta Blvd	McDonald Ave	0.067	Concrete	Concrete-Standard	8
W Houstonia	Crooks Rd	Beechwood Dr	0.113	Concrete	Concrete-Standard	3
W Hudson	S Lafayette	S Washington	0.087	Asphalt	Composite	3
W Hudson	S Center	E Hudson & S Main	0.059	Asphalt	Composite	4
W Hudson	Woodward Ave	S Lafayette	0.155	Asphalt	Composite	4
W Hudson	S Washington	S Center	0.061	Asphalt	Composite	4
W Kenilworth	W M 1 Service Drive	S Washington	0.105	Asphalt	Composite	3
W Kenilworth	S Washington	S Main & E Kenilworth	0.119	Asphalt	Composite	4
W La Salle	Butternut & Columbus	N Main	0.29	Concrete	Concrete-Standard	4
W Lawrence	Dead End or Start	N Main & E Lawrence	0.087	Concrete	Concrete-Standard	5
W Maryland	S Main	Delaware & E Maryland	0.125	Asphalt	Composite	4
W Parent	S Lafayette	S Washington	0.109	Asphalt	Composite	5
W Parent	W M 1 Service Drive	S Lafayette	0.061	Concrete	Concrete-Standard	4
W Parent	S Washington	E Parent & S Main	0.121	Asphalt	Composite	4
W Sunnybrook Rd	Custer	N Washington	0.177	Asphalt	Composite	8
W Sunnybrook Rd	N Washington	E Sunnybrook Rd & N Main	0.173	Asphalt	Composite	4
W Sunnybrook Rd	Custer	Dead End or Start	0.027	Concrete	Concrete-Standard	4
W University	N Washington	N Center	0.079	Asphalt	Composite	4
W University	N Center	N Main	0.069	Asphalt	Composite	5
W Webster Rd	Marais	Cedar Dr	0.164	Concrete	Concrete-Standard	3
W Webster Rd	Cedar Dr	Dead End or Start	0.038	Concrete	Concrete-Standard	4
W Webster Rd	Dead End or Start	Beechwood Dr	0.094	Concrete	Concrete-Standard	6
W Webster Rd	Beechwood Dr	Marywood Dr	0.141	Concrete	Concrete-Standard	6
W Webster Rd	Marywood Dr	N Washington	0.133	Concrete	Concrete-Standard	5
W Windemere	Crooks Rd	Evergreen Dr	0.13	Concrete	Concrete-Standard	4
W Windemere	Evergreen Dr	Manitou Blvd	0.132	Concrete	Concrete-Standard	3
W Windemere	Manitou Blvd	Marais	0.13	Concrete	Concrete-Standard	5
W Windemere	Marais	pavement change	0.1	Concrete	Concrete-Standard	4
Walnut	Crooks Rd	Beechwood Dr	0.047	Asphalt	Composite	8
Walnut	Beechwood Dr	Marywood Dr	0.139	Asphalt	Composite	8
Walnut	Marywood Dr	N Washington	0.12	Concrete	Concrete-Standard	5
Warick Rd	Webster Rd	Coolidge Hwy	0.136	Concrete	Concrete-Standard	3
Warick Rd	Webster Rd	Coolidge Hwy	0.013	Concrete	Concrete-Standard	3
Warick Rd	Coolidge Hwy	Woodward Ave	0.175	Concrete	Concrete-Standard	4
Waverley	Marywood Dr	N Washington	0.121	Asphalt	Asphalt-Standard	8

**City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads**

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Waverley	N Washington	Dead End or Start	0.068	Concrete	Concrete-Standard	5
Wellesley	E Lincoln	Tufts	0.057	Asphalt	Composite	4
Wellesley	Tufts	Yale	0.054	Asphalt	Composite	2
Wellesley	Yale	E 6th St	0.053	Asphalt	Composite	2
Wellesley	E 6th St	E 4th St	0.138	Asphalt	Composite	4
Wellesley	E 4th St	E 4th St	0.015	Asphalt	Composite	4
Westgate	E 12 Mile Rd	Beaver	0.154	Concrete	Concrete-Standard	3
Whitcomb	N Blair	N Vermont	0.1	Concrete	Concrete-Standard	4
Whitcomb	N Vermont	W Whitcomb & Campbell Rd	0.167	Concrete	Concrete-Standard	4
Whitcomb	Rochester Rd	Ferris	0.25	Concrete	Concrete-Standard	4
Whitcomb	Ferris	N Blair	0.065	Concrete	Concrete-Standard	4
Williams Ct	E Harrison	Dead End or Start	0.056	Asphalt	Asphalt-Standard	2
Willis	N Washington	N Center	0.07	Asphalt	Composite	4
Willis	N Center	N Main	0.103	Asphalt	Composite	4
Woodcrest Dr	Park	W Farnum	0.056	Asphalt	Composite	10
Woodcrest Dr	W Farnum	Austin	0.088	Asphalt	Composite	10
Woodcrest Dr	Austin	Crane	0.072	Asphalt	Composite	10
Woodcrest Dr	Crane	Catalpa Dr	0.109	Asphalt	Composite	10
Woodland	W Webster Rd	Glenwood Rd	0.174	Concrete	Concrete-Standard	9
Woodland	Samoset	W 14 Mile Rd	0.13	Asphalt	Composite	8
Woodland	Nakota	Samoset	0.128	Asphalt	Composite	8
Woodland	W Houstonia & Northwood Blvd	Lloyd	0.116	Asphalt	Composite	3
Woodland	Lloyd	Carman	0.146	Asphalt	Composite	3
Woodland	Carman	Bonnie View Dr	0.021	Asphalt	Composite	2
Woodland	Glenwood Rd		0.076	Concrete	Concrete-Standard	5
Woodland		Linwood	0.092	Concrete	Concrete-Standard	4
Woodland	W 13 Mile Rd	Dead End or Start	0.1	Concrete	Concrete-Standard	4
Woodland		Dead End or Start	0.03	Concrete	Concrete-Standard	4
Woodland	Starr Rd	Chester Rd	0.248	Concrete	Concrete-Standard	4
Woodland	W 13 Mile Rd	Dead End or Start	0.105	Concrete	Concrete-Standard	4
Woodland	Chester Rd	Normandy Rd	0.229	Concrete	Concrete-Standard	4
Woodland	Massoit Rd	Cresthill	0.063	Concrete	Concrete-Standard	6
Woodland	Cresthill	Nakota	0.063	Concrete	Concrete-Standard	6
Woodland	W 14 Mile Rd	Parmenter Blvd	0.155	Concrete	Concrete-Standard	4
Woodlawn	N Alexander	N Blair	0.246	Concrete	Concrete-Standard	3
Woodlawn	N Blair	Campbell Rd	0.264	Concrete	Concrete-Standard	4
Woodlawn	N Main	Glendale	0.175	Concrete	Concrete-Standard	3
Woodlawn	Glendale	Rochester Rd	0.175	Concrete	Concrete-Standard	3

City of Royal Oak
Pavement Surface Evaluation and Rating (PASER)
Local Roads

Street	From	To	Length (miles)	Surface Type	Subsurface Type	2019 PASER Rating
Woodlawn	Rochester Rd	N Alexander	0.15	Concrete	Concrete-Standard	4
Woodsboro Dr	Sunset Blvd	Fairlawn Rd	0.182	Concrete	Concrete-Standard	4
Woodsboro Dr	Fairlawn Rd	Vinsetta Blvd	0.145	Concrete	Concrete-Standard	5
Woodsboro Dr	N Pleasant	Edgewood Dr	0.061	Concrete	Concrete-Standard	4
Woodsboro Dr	Edgewood Dr	Marywood Dr	0.06	Concrete	Concrete-Standard	8
Woodsboro Dr	Vinsetta Blvd	Forestdale Rd	0.151	Concrete	Concrete-Standard	3
Woodsboro Dr	Forestdale Rd	Dead End or Start	0.06	Concrete	Concrete-Standard	3
Woodsboro Dr	N Maple	N Pleasant	0.058	Concrete	Concrete-Standard	3
Woodsboro Dr	Marywood Dr	N Lafayette	0.062	Concrete	Concrete-Standard	5
Woodsboro Dr	N Lafayette	Crooks Rd	0.046	Concrete	Concrete-Standard	5
Woodsboro Dr	N Washington	N Main	0.12	Concrete	Concrete-Standard	5
Woodsboro Dr	Vinsetta Blvd	Vinsetta Blvd	0.061	Asphalt	Asphalt-Standard	4
Woodsboro Dr	Hilldale	Maxwell	0.123	Concrete	Concrete-Standard	3
Woodsboro Dr	Maxwell	N Maple	0.057	Concrete	Concrete-Standard	5
Woodside Rd	Bellevue	Rochester Rd	0.155	Concrete	Concrete-Standard	4
Woodslee Dr	W 13 Mile Rd	Dead End or Start	0.033	Concrete	Concrete-Standard	5
Woodslee Dr	Woodward Ave	Woodward Business Route	0.032	Concrete	Concrete-Standard	6
Woodslee Dr	Woodward Business Route	Eton Cross Rd	0.107	Concrete	Concrete-Standard	6
Woodslee Dr	Eton Cross Rd	Guilford Dr	0.073	Concrete	Concrete-Standard	6
Woodslee Dr	Guilford Dr	W 13 Mile Rd	0.107	Asphalt	Composite	2
Wrenford Rd	Arlington Dr	Sheridan Dr	0.07	Asphalt	Composite	4
Wrenford Rd	Sheridan Dr	Buckingham Rd	0.061	Concrete	Concrete-Standard	3
Wyandotte	E 10 Mile Rd	Dondero Ave	0.087	Asphalt	Composite	5
Wyandotte	E Hudson	E Lincoln	0.17	Asphalt	Composite	4
Wyandotte	E 10 Mile Rd	Dondero Ave	0.087	Asphalt	Composite	5
Wyandotte	Dondero Ave	E Hudson	0.219	Asphalt	Composite	4
Yale	Wellesley	S Stephenson Hwy	0.079	Concrete	Concrete-Standard	3
Yorba Linda Blvd	Dukeshire Hwy	Kensington Dr	0.113	Concrete	Concrete-Standard	2
Yorba Linda Blvd	Pavement Change	Fairmont Rd	0.032	Concrete	Concrete-Standard	9
Yorba Linda Blvd	Betsy Ross	Dukeshire Hwy	0.078	Concrete	Concrete-Standard	3
Yorba Linda Blvd	Kensington Dr	Woodward Ave	0.159	Concrete	Concrete-Standard	5
Yorba Linda Blvd	Springer	Pavement Change	0.067	Asphalt	Composite	9
Yorba Linda Blvd	Fairmont Rd	Hillside Dr	0.258	Concrete	Concrete-Standard	3
Yorba Linda Blvd	Hillside Dr	Betsy Ross	0.059	Concrete	Concrete-Standard	3
York	W Harrison	City/Twp Line	0.15	Concrete	Concrete-Standard	4
York	Huntington	W Harrison	0.176	Concrete	Concrete-Standard	4